Package 'TCGAWorkflowData'

April 24, 2025

Title Data for TCGA Workflow

Version 1.32.0

Author Tiago Chedraoui Silva <tiagochst@gmail.com>

Maintainer Tiago Chedraoui Silva <tiagochst@gmail.com>

Description This experimental data package contains 11 data sets necessary to follow the ``TCGA Workflow: Analyze cancer genomics and epigenomics data using Bioconductor packages".

Depends R (>= 3.5.0)

Imports SummarizedExperiment

License GPL-3

VignetteBuilder knitr

biocViews ExperimentData, Homo_sapiens_Data, MicroarrayData, CancerData

NeedsCompilation no

URL https://f1000research.com/articles/5-1542/v2

BugReports https://github.com/BioinformaticsFMRP/TCGAWorkflow/issues

RoxygenNote 7.2.3

Suggests knitr, rmarkdown, pander, testthat, BiocStyle

git_url https://git.bioconductor.org/packages/TCGAWorkflowData

git_branch RELEASE_3_21

git_last_commit 9a3836c

git_last_commit_date 2025-04-15

Repository Bioconductor 3.21

Date/Publication 2025-04-24

Contents

exp . . . 2
exp_gbm . . . 2
exp_lgg . . . 3
gbm.samples . . . 3
genes . . . 3
genes_GR . . . 4
gistic_allbygene . . . 4
gistic_thresholedbygene . . . 5
histone.marks . . . 5
lgg.samples . . . 6
maf . . . 6
met . . . 6
TCGAWorkflowData . . . 7
tmp.biogrid . . . 8

Index **9**

`exp` *A gene expression matrix for 10 GBM and 10 LGG samples prepared for the creation of an ELMER object.*

Description

A gene expression matrix for 10 GBM and 10 LGG samples prepared for the creation of an ELMER object.

Format

A matrix with 21022 rows and 20 samples

Examples

```
data("elmerExample")
```

`exp_gbm` *A gene expression matrix with 20 GBM samples*

Description

A gene expression matrix with 20 GBM samples

Format

Gene expression: A SummarizedExperiment object with 21022 rows and 20 columns

Examples

```
data("TCGA_GBM_Transcriptome_20_samples")
```

---

exp_lgg *A gene expression matrix with 20 LGG samples*

Description

A gene expression matrix with 20 LGG samples

Format

Gene expression: A SummarizedExperiment object with 21022 rows and 20 columns

Examples

```
data("TCGA_LGG_Transcriptome_20_samples")
```

---

gbm.samples *Identifiers for the 10 GBM samples in the ELMER objects*

Description

Identifiers for the 10 GBM samples in the ELMER objects

Format

A vector of 10 barcodes

Examples

```
data("elmerExample")
```

---

genes *A data frame object with gene information (hg19)*

Description

A data frame object with gene information (hg19)

Format

A dataframe object

Examples

```
data("genes_GR")
```

genes_GR *A GRanges object with gene information (hg19)*

Description

A GRanges object with gene information (hg19)

Format

A GRanges object

Examples

```
data("genes_GR")
```

gistic_allbygene *A subset of GBM GISTIC2 results, which is used to identify genes targeted by somatic copy-number alterations (SCNAs) From: GDAC firehose, downloaded with RTCGAtoolbox*

Description

A subset of GBM GISTIC2 results, which is used to identify genes targeted by somatic copy-number alterations (SCNAs) From: GDAC firehose, downloaded with RTCGAtoolbox

Format

A matrix with 24776 rows and 580 columns

Examples

```
data("gbm_gistic")
```

gistic_thresholedbygene *A subset of GBM GISTIC2 results, which is used to identify genes targeted by somatic copy-number alterations (SCNAs) From: GDAC firehose, downloaded with RTCGAtoolbox*

Description

A subset of GBM GISTIC2 results, which is used to identify genes targeted by somatic copy-number alterations (SCNAs) From: GDAC firehose, downloaded with RTCGAtoolbox

Format

A matrix with 24776 rows and 580 columns

Examples

```
data("gbm_gistic")
```

histone.marks *histone marks specific for brain tissue from the Roadmap database.*

Description

histone marks specific for brain tissue from the Roadmap database.

Format

A matrix with 72102 rows and 114 columns

Examples

```
data("histoneMarks")
```

lgg.samples — *Identifiers for the 10 LGG samples in the ELMER objects*

Description

Identifiers for the 10 LGG samples in the ELMER objects

Format

A vector of 10 barcodes

Examples

```
data("elmerExample")
```

maf — *Merged LGG and GBM GDC MAF files from GDC workflow: Aliquot Ensemble Somatic Variant Merging and Masking*

Description

Merged LGG and GBM GDC MAF files from GDC workflow: Aliquot Ensemble Somatic Variant Merging and Masking

Format

A matrix with 87957 rows and 141 columns

Examples

```
data("maf_lgg_gbm")
```

met — *A SummarizedExperiment containing TCGA data: DNA methylation platform 450K chromossome 9 for 10 LGG samples and 10 GBM samples*

Description

A SummarizedExperiment containing TCGA data: DNA methylation platform 450K chromossome 9 for 10 LGG samples and 10 GBM samples

Format

A SumarrizedExperiment with 9861 rows and 20 samples

Examples

```
data("elmerExample")
```

TCGAWorkflowData *Data for TCGA Workflow*

Description

This experimental data package has the data necessary to follow the TCGA Workflow: Analyze cancer genomics and epigenomics data using Bioconductor packages. It contains the following files:

- met20SamplesGBMLGGchr9: DNA methylation matrix from Infinium HumanMethylation450 platform for 10 LGG (Lower grade glioma) and 10 GBM (Glioblastoma multiforme). It has only probes in chromossome 9 in order to make the example of the workflow faster
- elmerExample: Contains a DNA methylation matrix (only probes in chromossome 9) and a gene expression matrix for 10 LGG (Lower grade glioma) and 10 GBM (Glioblastoma multiforme) in the required format for to execute the R/Bioconductor ELMER package analysis and a vector identifying which sample belongs to each tumor type.
- biogrid: biogrid information
- maf_lgg_gbm: Mutation annotation files for LGG (Lower grade glioma) and GBM (Glioblastoma multiforme) samples merged into a single matrix. The GDC Somatic Mutation Calling Workflow mutect2 was used to create this MAF files.
- histoneMarks: histone marks specific for brain tissue using from Roadmap database.
- genes_GR: A GRanges Object and a dataframe with gene information (hg19) downloaded from ENSEMBLE database using biomart via TCGAbiolinks
- TCGA_GBM_Transcriptome_20_samples: a matrix with raw expression signal for expression of a gene for 20 GBM (Glioblastoma multiforme) samples
- TCGA_LGG_Transcriptome_20_samples: a matrix with raw expression signal for expression of a gene for 20 LGG (low grade glioma) samples

For more information how to create these objects please read the vignette of this package with the follwing command: `browseVignettes("TCGAWorkflowData")`

Examples

```
data("elmerExample")
data("TCGA_LGG_Transcriptome_20_samples")
data("TCGA_GBM_Transcriptome_20_samples")
data("histoneMarks")
data("biogrid")
data("genes_GR")
data("maf_lgg_gbm")
```

tmp.biogrid *Biogrid information*

Description

Biogrid information

Format

Two matrices with 24776 rows and 580 columns

Examples

```
data("biogrid")
```

Index

∗ **internal**
exp, 2
exp_gbm, 2
exp_lgg, 3
gbm.samples, 3
genes, 3
genes_GR, 4
gistic_allbygene, 4
gistic_thresholedbygene, 5
histone.marks, 5
lgg.samples, 6
maf, 6
met, 6
tmp.biogrid, 8
∗ **utilities**
TCGAWorkflowData, 7

exp, 2
exp_gbm, 2
exp_lgg, 3

gbm.samples, 3
genes, 3
genes_GR, 4
gistic_allbygene, 4
gistic_thresholedbygene, 5

histone.marks, 5

lgg.samples, 6

maf, 6
met, 6

TCGAWorkflowData, 7
tmp.biogrid, 8