

# Package ‘LEA’

January 16, 2026

**Title** LEA: an R package for Landscape and Ecological Association Studies

**Version** 3.23.0

**Date** 2025-11-3

**Author** Eric Frichot <eric.frichot@gmail.com>, Olivier Francois <olivier.francois@grenoble-inp.fr>, Clement Gain <clement.gain@univ-grenoble-alpes.fr>

**Maintainer** Olivier Francois <olivier.francois@grenoble-inp.fr>

**Depends** R (>= 3.3.0), methods, stats, utils, graphics

**Suggests** knitr

**Description** LEA is an R package dedicated to population genomics, landscape genomics and genotype-environment association tests. LEA can run analyses of population structure and genome-wide tests for local adaptation, and also performs imputation of missing genotypes.

The package includes statistical methods for estimating ancestry coefficients from large genotypic matrices and for evaluating the number of ancestral populations (snmf). It performs statistical tests using latent factor mixed models for identifying genetic polymorphisms that exhibit association with environmental gradients or phenotypic traits (lfmm2).

In addition, LEA computes values of genetic offset statistics based on new or predicted environments (genetic.gap, genetic.offset).

LEA is mainly based on optimized programs that can scale with the dimensions of large data sets.

**License** GPL-3

**biocViews** Software, Statistical Method, Clustering, Regression

**URL** <http://membres-timc.imag.fr/Olivier.Francois/lea.html>

**NeedsCompilation** yes

**VignetteBuilder** knitr

**RoxygenNote** 6.0.1

**git\_url** <https://git.bioconductor.org/packages/LEA>

**git\_branch** devel  
**git\_last\_commit** f812da2  
**git\_last\_commit\_date** 2025-10-29  
**Repository** Bioconductor 3.23  
**Date/Publication** 2026-01-15

## Contents

LEA-package	3
ancestrymap	4
ancestrymap2geno	5
ancestrymap2lfmm	6
barchart	7
create.dataset	9
cross.entropy	10
cross.entropy.estimation	11
env	13
G	14
genetic.gap	15
genetic.offset	18
geno	20
geno2lfmm	21
impute	22
lfmm	24
lfmm.data	27
lfmm.pvalues	28
lfmm2	29
lfmm2.test	31
lfmm2geno	33
offset_example	35
pca	35
ped	38
ped2geno	39
ped2lfmm	40
Q	41
read.env	42
read.genotype	43
read.lfmm	44
read.zscore	45
snmf	46
snmf.pvalues	51
struct2geno	53
tracy.widom	54
tutorial	56
vcf	56
vcf2geno	57

<i>LEA-package</i>	3
--------------------	---

vcf2lfmm	58
write.env	59
write.geno	60
write.lfmm	61
z.scores	62
zscore.format	64

<b>Index</b>	<b>65</b>
--------------	-----------

---

<b>LEA-package</b>	<i>LEA: an R package for Landscape and Ecological Associations studies.</i>
--------------------	---

---

## Description

LEA is an R package dedicated to landscape genomics and ecological association tests. LEA can run analyses of population structure and genome scans for local adaptation. It includes statistical methods for estimating ancestry coefficients from large genotypic matrices and evaluating the number of ancestral populations (snmf, pca) and identifying genetic polymorphisms that exhibit high correlation with some environmental gradient or with the variables used as proxies for ecological pressures (lfmm). LEA is mainly based on optimized C programs that can scale with the dimension of very large data sets.

## Details

Package:	LEA
Type:	Package
Version:	2.0
Date:	2017-07-16
License:	GPL-3

## Author(s)

Eric Frichot Olivier Francois Maintainer: Olivier Francois <olivier.francois@grenoble-inp.fr>

---

**ancestrymap***ancestrymap format description*

---

**Description**

Description of the ancestrymap format. The ancestrymap format can be used as an input format for genotypic matrices in the functions [pca](#), [lfmm](#) and [snmf](#).

**Details**

The ancestrymap format has one row for each genotype. Each row has 3 columns: the 1st column is the SNP name, the 2nd column is the sample ID, the 3rd column is the number of alleles. Genotypes for a given SNP name are written in consecutive lines. The number of alleles can be the number of reference alleles or the number of derived alleles. Missing genotypes are encoded by the value 9.

Here is an example of a genotypic matrix using the ancestrymap format with 3 individuals and 4 SNPs:

rs0000	SAMPLE0	1
rs0000	SAMPLE1	1
rs0000	SAMPLE2	2
rs1111	SAMPLE0	0
rs1111	SAMPLE1	1
rs1111	SAMPLE2	0
rs2222	SAMPLE0	0
rs2222	SAMPLE1	9
rs2222	SAMPLE2	1
rs3333	SAMPLE0	1
rs3333	SAMPLE1	2
rs3333	SAMPLE2	1

**Author(s)**

Eric Fritchot

**See Also**

[ancestrymap2lfmm](#) [ancestrymap2geno](#) [geno lfmm](#).data [ped](#) [vcf](#)

---

**ancestrymap2geno***Convert from [ancestrymap](#) to [geno](#) format*

---

## Description

A function that converts from the [ancestrymap](#) format to the [geno](#) format.

## Usage

```
ancestrymap2geno(input.file, output.file = NULL, force = TRUE)
```

## Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <a href="#">ancestrymap</a> format.
<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">geno</a> format. By default, the name of the output file is the same name as the input file with a <code>.geno</code> extension.
<code>force</code>	A boolean option. If <code>FALSE</code> , the input file is converted only if the output file does not exist. If <code>TRUE</code> , convert the file anyway.

## Value

<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">geno</a> format.
--------------------------	---

## Author(s)

Eric Frichot

## See Also

[ancestrymap](#) [geno](#) [read.genotype](#) [ancestrymap2lfmm](#) [geno2lfmm](#) [ped2lfmm](#) [ped2geno](#) [vcf2geno](#)  
[lfmm2geno](#)

## Examples

```
# Creation of of file called "example.ancestrymap"
# a file containing 4 SNPs for 3 individuals.
data("example_ancestrymap")
write.table(example_ancestrymap,"example.ancestrymap",
col.names = FALSE, row.names = FALSE, quote = FALSE)

# Conversion from the ancestrymap format ("example.ancestrymap")
# to the geno format ("example.genotype").
# By default, the name of the output file is the same name
# as the input file with a .geno extension.
# Create file: "example.genotype".
```

```

output = ancestrymap2geno("example.ancestrymap")

# Conversion      from the ancestrymap format (example.ancestrymap)
#                  to the geno format with the output file called plop.geno.
# Create file:  "plop.geno".
output = ancestrymap2geno("example.ancestrymap", "plop.geno")

# As force = false and the file "example.geno" already exists,
# nothing happens.
output = ancestrymap2geno("example.ancestrymap", force = FALSE)

```

---

ancestrymap2lfmm      *Convert from [ancestrymap](#) to [lfmm](#) format*

---

## Description

A function that converts from the [ancestrymap](#) format to the [lfmm](#) format.

## Usage

```
ancestrymap2lfmm(input.file, output.file = NULL, force = TRUE)
```

## Arguments

input.file	A character string containing a path to the input file, a genotypic matrix in the <a href="#">ancestrymap</a> format.
output.file	A character string containing a path to the output file, a genotypic matrix in the <a href="#">lfmm</a> format. By default, the name of the output file is the same name as the input file with a .lfmm extension.
force	A boolean option. If FALSE, the input file is converted only if the output file does not exist. If TRUE, convert the file anyway.

## Value

output.file	A character string containing a path to the output file, a genotypic matrix in the <a href="#">lfmm</a> format.
-------------	---

## Author(s)

Eric Frichot

## See Also

[ancestrymap lfmm.data](#) [ancestrymap2geno](#) [geno2lfmm](#) [ped2lfmm](#) [ped2geno](#) [vcf2geno](#) [lfmm2geno](#)

## Examples

```

# Creation of a file called "example.ancestrymap"
# containing 4 SNPs for 3 individuals.
data("example_ancestrymap")
write.table(example_ancestrymap,"example.ancestrymap",
col.names = FALSE, row.names = FALSE, quote = FALSE)

# Conversion from the ancestrymap format ("example.ancestrymap")
# to the lfmm format ("example.lfmm").
# By default, the name of the output file is the same name
# as the input file with a .lfmm extension.
# Create file: "example.lfmm".
output = ancestrymap2lfmm("example.ancestrymap")

# Conversion from the ancestrymap format (example.ancestrymap)
# to the geno format with the output file called plop.lfmm.
# Create file: "plop.lfmm".
output = ancestrymap2lfmm("example.ancestrymap", "plop.lfmm")

# As force = false and the file "example.lfmm" already exists,
# nothing happens.
output = ancestrymap2lfmm("example.ancestrymap", force = FALSE)

```

---

barchart

*Bar plot representation of an snmf Q-matrix*

---

## Description

This function displays a bar plot/bar chart representation of the Q-matrix computed from an [snmf](#) run. The function can use a sort by Q option. See [snmf](#).

## Usage

```
barchart (object, K, run, sort.by.Q = TRUE, lab = FALSE, ...)
```

## Arguments

object	an snmfProject object.
K	an integer value corresponding to number of ancestral populations.
run	an integer value. Usually the run number that minimizes the cross-entropy criterion.
sort.by.Q	a Boolean value indicating whether individuals should be sorted by their ancestry or not.
lab	a list of individual labels.
...	other parameters of the function <a href="#">barplot.default</a> .

**Value**

A permutation of individual labels used in the `sort.by.Q` option (order). Displays the `Q` matrix.

**Author(s)**

Olivier Francois

**See Also**

[snmf](#)

**Examples**

```
# creation of a genotype file: genotypes.geno.
# 400 SNPs for 50 individuals.

data("tutorial")
write.geno(tutorial.R, "genotypes.geno")

#####
# running snmf #
#####

project.snmf <- snmf("genotypes.geno",
                      K = 4, entropy = TRUE,
                      repetitions = 10,
                      project = "new")

# get the cross-entropy value for each run
ce <- cross.entropy(project.snmf, K = 4)

# select the run with the lowest cross-entropy value
best <- which.min(ce)

# plot the ancestry coefficients for the best run and K = 4

my.colors <- c("tomato", "lightblue", "olivedrab", "gold")

barchart(project.snmf, K = 4, run = best,
         border = NA, space = 0, col = my.colors,
         xlab = "Individuals", ylab = "Ancestry proportions",
         main = "Ancestry matrix") -> bp

axis(1, at = 1:length(bp$order),
     labels = bp$order, las = 3,
     cex.axis = .4)
```

---

create.dataset	<i>create a data set with masked data</i>
----------------	---

---

## Description

`create.dataset` creates a data set with a given percentage of masked data from the original data set. It is used to calculate the `cross.entropy` criterion.

## Usage

```
create.dataset (input.file, output.file, seed = -1, percentage = 0.05)
```

## Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <code>geno</code> format.
<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <code>geno</code> format. The output file is the input file with masked genotypes. By default, the name of the output file is the same name as the input file with a <code>_I.geno</code> extension.
<code>seed</code>	A seed to initialize the random number generator. By default, the seed is randomly chosen.
<code>percentage</code>	A numeric value between 0 and 1 containing the percentage of masked genotypes.

## Details

This is an internal function, automatically called by `snmf` with the `entropy` option.

## Value

<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <code>geno</code> format.
--------------------------	--

## Author(s)

Eric Frichot

## See Also

`geno` `snmf` `cross.entropy`

## Examples

```
# Creation of tuto.geno
# A file containing 400 SNPs for 50 individuals.
data("tutorial")
write.geno(tutorial.R,"genotypes.geno")

# Creation of the masked data file
# Create file: "genotypes_I.geno"
output = create.dataset("genotypes.geno")
```

---

cross.entropy

*Cross-entropy criterion for snmf runs*

---

## Description

Return the cross-entropy criterion for runs of `snmf` with  $K$  ancestral populations. The cross-entropy criterion is based on the prediction of masked genotypes to evaluate the fit of a model with  $K$  populations. The cross-entropy criterion helps choosing the number of ancestral populations or a best run for a fixed value of  $K$ . A smaller value of cross-entropy means a better run in terms of prediction capability. The cross-entropy criterion is computed by the `snmf` function when the `entropy` Boolean option is `TRUE`.

## Usage

```
cross.entropy(object, K, run)
```

## Arguments

<code>object</code>	A <code>snmfProject</code> object.
<code>K</code>	The number of ancestral populations.
<code>run</code>	A vector of run labels.

## Value

<code>res</code>	A matrix containing the cross-entropy criterion for runs with $K$ ancestral populations.
------------------	--

## Author(s)

Eric Frichot

## See Also

[geno](#) [snmf](#) [G](#) [Q](#)

## Examples

```
### Example of analyses using snmf ###

# creation of a genotype file: genotypes.geno.
# The data contains 400 SNPs for 50 individuals.
data("tutorial")
write.geno(tutorial.R, "genotypes.geno")

#####
# running snmf #
#####

# Runs with K = 3 populations
# cross-entropy is computed for 2 runs.
project = NULL
project = snmf("genotypes.geno",
               K = 3,
               entropy = TRUE,
               repetitions = 2,
               project = "new")

# get the cross-entropy for all runs for K = 3
ce = cross.entropy(project, K = 3)

# get the cross-entropy for the 2nd run for K = 3
ce = cross.entropy(project, K = 3, run = 2)
```

### `cross.entropy.estimation`

*compute the cross-entropy criterion*

## Description

Calculate the cross-entropy criterion. This is an internal function, automatically called by `snmf`. The cross-entropy criterion is a value based on the prediction of masked genotypes to evaluate the error of ancestry estimation. The criterion will help to choose the best number of ancestral population (K) and the best run among a set of runs in `snmf`. A smaller value of cross-entropy means a better run in terms of prediction capacity. The `cross.entropy.estimation` function displays the cross-entropy criterion estimated on all data and on masked data based on the input file, the masked data file (created by `create.dataset`, the estimation of the ancestry coefficients Q and the estimation of ancestral genotypic frequencies, G (calculated by `snmf`). The cross-entropy estimation for all data is always lower than the cross-entropy estimation for masked data. The cross-entropy estimation useful to compare runs is the cross-entropy estimation for masked data. The cross-entropy criterion can also be automatically calculated by the `snmf` function with the `entropy` option.

## Usage

```
cross.entropy.estimation (input.file, K, masked.file, Q.file, G.file,
                        ploidy = 2)
```

## Arguments

input.file	A character string containing a path to the input file without masked genotypes, a genotypic matrix in the <a href="#">geno</a> format.
K	An integer corresponding to the number of ancestral populations.
masked.file	A character string containing a path to the input file with masked genotypes, a genotypic matrix in the <a href="#">geno</a> format. This file can be generated with the function, <a href="#">create.dataset</a> ). By default, the name of the masked data file is the same name as the input file with a _I.geno extension.
Q.file	A character string containing a path to the input ancestry coefficient matrix Q. By default, the name of this file is the same name as the input file with a K.Q extension.
G.file	A character string containing a path to the input ancestral genotype frequency matrix G. By default, the name of this file is the same name as the input file with a K.G extension (input_file.K.G).
ploidy	1 if haploid, 2 if diploid, n if n-ploid.

## Value

`cross.entropy.estimation` returns a list containing the following components:

masked.ce	The value of the cross-entropy criterion of the masked genotypes.
all.ce	The value of the cross-entropy criterion of all the genotypes.

## Author(s)

Eric Frichot

## References

Frichot E, Mathieu F, Trouillon T, Bouchard G, Francois O. (2014). *Fast and Efficient Estimation of Individual Ancestry Coefficients*. Genetics, 194(4) : 973–983.

## See Also

[geno](#) [create.dataset](#) [snmf](#)

## Examples

```
# Creation of tuto.geno
# A file containing 400 SNPs for 50 individuals.
data("tutorial")
write.geno(tutorial.R,"genotypes.geno")

# The following command are equivalent with
# project = snmf("genotypes.geno", entropy = TRUE, K = 3)
# cross.entropy(project)

# Creation      of the masked data file
```

```
# Create file: "genotypes_I.geno"
output = create.dataset("genotypes.geno")

# run of snmf with genotypes_I.geno and K = 3
project = snmf("genotypes_I.geno", K = 3, project = "new")

# calculate the cross-entropy
res = cross.entropy.estimation("genotypes.geno", K = 3, "genotypes_I.geno",
  "./genotypes_I.snmf/K3/run1/genotypes_I_r1.3.Q",
  "./genotypes_I.snmf/K3/run1/genotypes_I_r1.3.G")

# get the result
res$masked.ce
res$all.ce

#remove project
remove.snmfProject("genotypes_I.snmfProject")
```

---

env

*Environmental input file format for [lfmm](#)*

---

## Description

Description of the env format. The env format can be used as an input format for the environmental variables in the [lfmm](#) function.

## Details

The env format has one row for each individual. Each row contains one value for each environmental variable (separated by spaces or tabulations).

Here is an example of an environmental file using the env format with 3 individuals and 2 variables:

```
0.252477 0.95250639
0.216618 0.10902647
-0.47509 0.07626694
```

## Author(s)

Eric Frichot

## See Also

[lfmm](#) [lfmm2](#) [read.env](#) [write.env](#)

G

*Ancestral allele frequencies from a snmf run***Description**

Return the `snmf` output matrix of ancestral allele frequency matrix for the chosen run with K ancestral populations. For an example, see [snmf](#).

**Usage**

```
G(object, K, run)
```

**Arguments**

<code>object</code>	A <code>snmfProject</code> object.
<code>K</code>	The number of ancestral populations.
<code>run</code>	A chosen run.

**Value**

<code>res</code>	A matrix containing the ancestral allele frequencies for a run with K ancestral populations.
------------------	--

**Author(s)**

Eric Frichot

**See Also**

[geno](#) [snmf](#) [Q](#) [cross.entropy](#)

**Examples**

```
### Example of analyses using snmf ###

# creation of a genotype file: genotypes.geno.
# The data contain 400 SNPs for 50 individuals.
data("tutorial")
write.geno(tutorial.R, "genotypes.geno")

#####
# running snmf #
#####

# Two runs for K = 1 to 5
project.snmf = snmf("genotypes.geno",
                     K = 3,
```

```

repetitions = 2,
project = "new")

# get the ancestral genotype frequency matrix, G, for the 2nd run for K = 3.
freq = G(project.snmf, K = 3, run = 2)

```

---

genetic.gap

*Genetic gap: genetic offset and genetic distance between environments.*

---

## Description

The function returns estimates of the geometric genetic offset (genetic gap) computed from grids of new and predicted environments. The estimates are based on the covariance matrix of effect sizes obtained from an lfmm2 model. The function takes as input the data that are used to adjust the LFMM, a matrix of environmental variables measured at new locations (new.env) or at the same locations as in the LFMM estimates (new.env = env is accepted), and a matrix of predicted environmental variables for the new locations (pred.env) in the same format as the new.env ones.

## Usage

```
genetic.gap (input, env, new.env, pred.env, K, scale, candidate.loci)
```

## Arguments

input	A genotypic matrix or a character string containing a path to the input file. The genotypic matrix must be in the <a href="#">lfmm</a> format without missing values (0 or NA). See <a href="#">impute</a> for completion based on nonnegative matrix factorization. Also consider R packages for reading large matrices.
env	A matrix of environmental covariates or a character string containing a path to the environmental file. The environmental matrix must be in the <a href="#">env</a> format without missing values. The variables must be encoded as <code>numeric</code> and sampled at the same locations as for the genotype matrix.
new.env	A matrix of new environmental covariates or a character string containing a path to the new environmental data. The data are environmental covariates sampled at locations that can differ from those used in the estimation of the LFMM (env). By default, the matrix provided as the env argument is used. The new environmental matrix must be in the <a href="#">env</a> format without missing values. The variables must be encoded as <code>numeric</code> .
pred.env	A matrix of predicted (new) environmental covariates or a character string containing a path to the predicted environmental data file. The predicted environmental matrix must be in the <a href="#">env</a> format without missing values, and of same dimension as the new.env matrix. All variables must be encoded as <code>numeric</code> and sampled at the same locations as for the new.env matrix. Predicted environmental covariates typically result from bioclimatic models (eg, worldclim).

K	An integer or a sequence of integers corresponding to the number of latent factors in the LFMM. The number of latent factors could be estimated from the elbow point in the PCA screeplot for the genotype matrix. For a sequence of values, an average prediction will be returned.
scale	A logical value indicating whether the environmental data are scaled or not. If <code>scale == TRUE</code> , then all environmental matrices are centered and scaled from the columnwise mean and standard deviations of the <code>env</code> matrix. This option should be used only to evaluate the relative importance of environmental variables with the eigenvalues of the covariance matrix of effect sizes when the environmental data have different scales.
<code>candidate.loci</code>	A vector specifying which loci (column label) in the genotype matrix are included in the computation of the genetic offset. The default value includes all loci.

### Value

<code>offset</code>	A vector of genomic offset values computed for every sample location in <code>new.env</code> and <code>pred.env</code> . The genomic offset is the genetic gap defined in (Gain et al. 2023).
<code>distance</code>	A vector of environmental distance values computed for every sample location in <code>new.env</code> and <code>pred.env</code> . The distances to an estimate of the risk of nonadaptedness that includes correction for confounding factors and analyzes multiple predictors simultaneously (modified version of RONA).
<code>eigenvalues</code>	Eigenvalues of the covariance matrix of LFMM effect sizes. They represent the relative importance of combinations of environmental variables described in <code>vectors</code> when the environmental data have similar scales. To be used with <code>scale == TRUE</code> .
<code>vectors</code>	Eigenvectors of the covariance matrix of LFMM effect sizes representing combinations of environmental variables sorted by importance ( <code>eigenvalues</code> ).

### Author(s)

Olivier Francois, Clement Gain

### References

Gain, C., et al. (2023). A quantitative theory for genomic offset statistics. *bioRxiv*, 10.1101/2023.01.02.522469.

Gain C, Francois O. (2021). LEA 3: Factor models in population genetics and ecological genomics with R. *Molecular Ecology Resources* 21 (8), 2738-2748. doi.org/10.1111/1755-0998.13366.

### See Also

[lfmm.data](#) [lfmm2](#)

## Examples

```
### Example of genetic offset computation using lfmm2 ###

data("offset_example")

Y <- offset_example$geno
X <- offset_example$env
X.pred <- offset_example$env.pred

#PCA of the genotype data suggests k = 2 factors
plot(prcomp(Y), col = "blue")

## genetic gap

g.gap <- genetic.gap(input = Y,
                        env = X,
                        pred.env = X.pred,
                        K = 2)

# return the values of the offset (genetic gap) for each sample location
round(g.gap$offset, digit = 3)

# plot the squared root of the genetic gap vs Euclidean environmental distance
Delta = X - X.pred
dist.env = sqrt( rowSums(Delta^2) )
plot(dist.env, sqrt(g.gap$offset), cex = .6)

# plot RONA vs the genetic gap
plot(g.gap$offset, g.gap$distance, cex = .6)

# with scaled variables
g.gap.scaled <- genetic.gap(input = Y,
                               env = X,
                               pred.env = X.pred,
                               scale = TRUE,
                               K = 2)

# Scaling does not change genetic gaps
plot(g.gap$offset, g.gap.scaled$offset, cex = .6)

# But scaling is useful for evaluating the relative importance of environmental variables
# Only two dimensions of the environmental space influence the genetic gap
barplot(g.gap.scaled$eigenvalues, col = "orange", xlab = "Axes", ylab = "Eigenvalues")

# The loadings for the first two variables indicate their relative contribution to local adaptation
g.gap.scaled$vectors[,1:2]

#rm(list = ls())
```

---

genetic.offset	<i>Genetic offset and genetic distance between environments.</i>
----------------	--

---

## Description

The function returns estimates of the geometric genetic offset computed from grids of new and predicted environments. The function takes as input the data that are used to adjust the LFMM, a matrix of environmental variables measured at new locations (new.env) or at the same locations as in the LFMM estimates (new.env = env is accepted), and a matrix of predicted environmental variables for the new locations (pred.env) in the same format as the new.env ones. It is equivalent to [genetic.gap](#) function.

## Usage

```
genetic.offset (input, env, new.env, pred.env, K, scale, candidate.loci)
```

## Arguments

input	A genotypic matrix or a character string containing a path to the input file. The genotypic matrix must be in the <a href="#">lfmm</a> format without missing values (9 or NA). See <a href="#">impute</a> for completion based on nonnegative matrix factorization. Also consider R packages for reading large matrices.
env	A matrix of environmental covariates or a character string containing a path to the environmental file. The environmental matrix must be in the <a href="#">env</a> format without missing values. The variables must be encoded as <code>numeric</code> and sampled at the same locations as for the genotype matrix.
new.env	A matrix of new environmental covariates or a character string containing a path to the new environmental data. The data are environmental covariates sampled at locations that can differ from those used in the estimation of the LFMM (env). By default, the matrix provided as the <code>env</code> argument is used. The new environmental matrix must be in the <a href="#">env</a> format without missing values. The variables must be encoded as <code>numeric</code>
pred.env	A matrix of predicted (new) environmental covariates or a character string containing a path to the predicted environmental data file. The predicted environmental matrix must be in the <a href="#">env</a> format without missing values, and of same dimension as the <code>new.env</code> matrix. All variables must be encoded as <code>numeric</code> and sampled at the same locations as for the <code>new.env</code> matrix. Predicted environmental covariates typically result from bioclimatic models (eg, <code>worldclim</code> ).
K	An integer or a sequence of integers corresponding to the number of latent factors in the LFMM. The number of latent factors could be estimated from the elbow point in the PCA screeplot for the genotype matrix. For a sequence of values, an average prediction will be returned.
scale	A logical value indicating whether the environmental data are scaled or not. If <code>scale == TRUE</code> , then all environmental matrices are centered and scaled from the columwise mean and standard deviations of the <code>env</code> matrix. This option should

be used only to evaluate the relative importance of environmental variables with the eigenvalues of the covariance matrix of effect sizes when the environmental data have different scales.

`candidate.loci` A vector specifying which loci (column label) in the genotype matrix are included in the computation of the genetic offset. The default value includes all loci.

### Value

<code>offset</code>	A vector of genomic offset values computed for every sample location in <code>new.env</code> and <code>pred.env</code> . The genomic offset is the genetic gap defined in (Gain et al. 2023).
<code>distance</code>	A vector of environmental distance values computed for every sample location in <code>new.env</code> and <code>pred.env</code> . The distances to an estimate of the risk of nonadaptedness that includes correction for confounding factors and analyzes multiple predictors simultaneously (modified version of RONA).
<code>eigenvalues</code>	Eigenvalues of the covariance matrix of LFMM effect sizes. They represent the relative importance of combinations of environmental variables described in vectors when the environmental data have similar scales. To be used with <code>scale == TRUE</code> .
<code>vectors</code>	Eigenvectors of the covariance matrix of LFMM effect sizes representing combinations of environmental variables sorted by importance ( <code>eigenvalues</code> ).

### Author(s)

Olivier Francois, Clement Gain

### References

Gain, C., et al. (2023). A quantitative theory for genomic offset statistics. *bioRxiv*, 10.1101/2023.01.02.522469.

Gain C, Francois O. (2021). LEA 3: Factor models in population genetics and ecological genomics with R. *Molecular Ecology Resources* 21 (8), 2738-2748. doi.org/10.1111/1755-0998.13366.

### See Also

`lfmm.data` `lfmm2`

### Examples

```
### Example of genetic offset computation using lfmm2 ###

data("offset_example")

Y <- offset_example$geno
X <- offset_example$env
X.pred <- offset_example$env.pred

#PCA of the genotype data suggests k = 2 factors
```

```

plot(prcomp(Y), col = "blue")

## genetic offset

g.gap <- genetic.offset(input = Y,
                           env = X,
                           pred.env = X.pred,
                           K = 2)

# return the values of the offset (genetic gap) for each sample location
round(g.gap$offset, digit = 3)

# plot the squared root of the genetic gap vs Euclidean environmental distance
Delta = X - X.pred
dist.env = sqrt( rowSums(Delta^2) )
plot(dist.env, sqrt(g.gap$offset), cex = .6)

# plot RONA vs the genetic gap
plot(g.gap$offset, g.gap$distance, cex = .6)

# with scaled variables
g.gap.scaled <- genetic.offset(input = Y,
                                   env = X,
                                   pred.env = X.pred,
                                   scale = TRUE,
                                   K = 2)

# Scaling does not change genetic offsets
plot(g.gap$offset, g.gap.scaled$offset, cex = .6)

# But scaling is useful for evaluating the relative importance of environmental variables
# Two dimensions in environmental space have influence on the genetic offset

barplot(g.gap.scaled$eigenvalues, col = "orange", xlab = "Axes", ylab = "Eigenvalues")

# The loadings for the first two variables indicate their relative contribution to local adaptation
g.gap.scaled$vectors[,1:2]

#rm(list = ls())

```

---

geno

*Input file for [snmf](#)*

---

## Description

Description of the geno format. The geno format can be used as an input format for genotypic matrices in the functions [snmf](#), [lfmm](#), and [pca](#).

## Details

The geno format has one row for each SNP. Each row contains 1 character for each individual: 0 means zero copy of the reference allele. 1 means one copy of the reference allele. 2 means two copies of the reference allele. 9 means missing data.

Here is an example of a genotypic matrix using the geno format with 3 individuals and 4 loci:

```
112  
010  
091  
121
```

## Author(s)

Eric Frichot

## See Also

[geno2lfmm](#) [lfmm2geno](#) [ancestrymap2geno](#) [ped2geno](#) [vcf2geno](#) [read.genotype](#) [write.genotype](#)

---

geno2lfmm

*Convert from geno to lfmm format*

---

## Description

A function that converts from the [geno](#) format to the [lfmm](#) format.

## Usage

```
geno2lfmm(input.file, output.file = NULL, force = TRUE)
```

## Arguments

input.file	A character string containing a path to the input file, a genotypic matrix in the <a href="#">geno</a> format.
output.file	A character string containing a path to the output file, a genotypic matrix in the <a href="#">lfmm</a> format. By default, the name of the output file is the same name as the input file with a .lfmm extension.
force	A boolean option. If FALSE, the input file is converted only if the output file does not exist. If TRUE, convert the file anyway.

## Value

output.file	A character string containing a path to the output file, a genotypic matrix in the <a href="#">lfmm</a> format.
-------------	---

**Author(s)**

Eric Frichot

**See Also**

[lfmm.data](#) [geno](#) [ancestrymap2lfmm](#) [ancestrymap2geno](#) [ped2lfmm](#) [ped2geno](#) [vcf2geno](#) [lfmm2geno](#)  
[read.gen0](#) [write.gen0](#)

**Examples**

```
# Creation of a file called "genotypes.gen0" in the working directory
# with 400 SNPs for 50 individuals.
data("tutorial")
write.gen0(tutorial.R, "genotypes.gen0")

# Conversion from the geno format ("genotypes.gen0")
# to the lfmm format ("genotypes.lfmm").
# By default, the name of the output file is the same name
# as the input file with a .lfmm extension.
# Create file: "genotypes.lfmm".
output = geno2lfmm("genotypes.gen0")

# Conversion from the geno format ("genotypes.gen0")
# to the lfmm format with the output file called "plop.lfmm".
# Create file: "plop.lfmm".
output = geno2lfmm("genotypes.gen0", "plop.lfmm")

# As force = false and the file "genotypes.lfmm" already exists,
# nothing happens.
output = geno2lfmm("genotypes.gen0", force = FALSE)
```

**impute***Impute missing genotypes using an snmf object***Description**

Impute missing genotypes in a genotype file (.lfmm) by using ancestry and genotype frequency estimates from an [snmf](#) run. The function generates a new [lfmm](#) file. See [lfmm](#) and [lfmm2](#).

**Usage**

```
impute (object, input.file, method, K, run)
```

**Arguments**

object	An <a href="#">snmfProject</a> object.
input.file	A path (character string) to an input file in <a href="#">lfmm</a> format with missing genotypes. The same input data must be used when generating the <a href="#">snmf</a> object.

method	A character string: "random" or "mode". With "random", imputation is performed by using the genotype probabilities. With "mode", the most likely genotype is used for matrix completion.
K	An integer value. The number of ancestral populations.
run	An integer value. A particular run used for imputation (usually the run number that minimizes the cross entropy criterion).

### Value

NULL	The function writes the imputed genotypes in an output file having the "_imputed.lfmm" suffix.
------	--

### Author(s)

Olivier Francois

### References

Gain C, Francois O. (2021). LEA 3: Factor models in population genetics and ecological genomics with R. Molecular Ecology Resources, doi.org/10.1111/1755-0998.13366.

### See Also

[snmf](#) [lfmm](#) [lfmm2](#)

### Examples

```
### Example of analysis ###

data("tutorial")
# creation of a genotype file with missing genotypes
# The data contain 400 SNPs for 50 individuals.

dat = as.numeric(tutorial.R)
dat[sample(1:length(dat), 100)] <- 9
dat <- matrix(dat, nrow = 50, ncol = 400 )
write.lfmm(dat, "genotypes.lfmm")

#####
# running snmf #
#####

project.snmf = snmf("genotypes.lfmm", K = 4,
                     entropy = TRUE, repetitions = 10,
                     project = "new")

# select the run with the lowest cross-entropy value
best = which.min(cross.entropy(project.snmf, K = 4))

# Impute the missing genotypes
impute(project.snmf, "genotypes.lfmm", method = 'mode', K = 4, run = best)
```

---

```
# Compare with truth
# Proportion of correct imputation results:
mean( tutorial.R[dat == 9] == read.lfmm("genotypes.lfmm_imputed.lfmm")[dat == 9] )
```

---

lfmm

*Fitting Latent Factor Mixed Models (MCMC algorithm)*

## Description

Latent Factor Mixed Models (LFMMs) are factor regression models in which the response variable is a genotypic matrix, and the explanatory variables are environmental measures of ecological interest or trait values. The `lfmm` function estimates latent factors and effect sizes based on an MCMC algorithm. The resulting object can be used in the function `lfmm.pvalues` to identify genetic polymorphisms exhibiting association with ecological gradients or phenotypes, while correcting for unobserved confounders. An exact and computationally efficient least-squares method is implemented in the function `lfmm2` which should be the preferred option.

## Usage

```
lfmm(input.file, environment.file, K,
      project = "continue",
      d = 0, all = FALSE,
      missing.data = FALSE, CPU = 1,
      iterations = 10000, burnin = 5000,
      seed = -1, repetitions = 1,
      epsilon.noise = 1e-3, epsilon.b = 1000,
      random.init = TRUE)
```

## Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <code>lfmm{lfmm_format}</code> format. The matrix must not contain missing values. See <code>impute</code> for completion based on nonnegative matrix factorization.
<code>environment.file</code>	A character string containing a path to the environmental file, an environmental data matrix in the <code>env</code> format.
<code>K</code>	An integer corresponding to the number of latent factors.
<code>project</code>	A character string among "continue", "new", and "force". If "continue", the results are stored in the current project. If "new", the current project is removed and a new project is created. If "force", the results are stored in the current project even if the input file has been modified since the creation of the project.
<code>d</code>	An integer corresponding to the fit of an <code>lfmm</code> model with the <code>d</code> -th variable only from <code>environment.file</code> . By default (if <code>NULL</code> and <code>all</code> are <code>FALSE</code> ), <code>lfmm</code> fits each variable from <code>environment.file</code> sequentially and independently.

all	A Boolean option. If TRUE, <code>lfmm</code> fits all variables from the <code>environment.file</code> at the same time. This option is not compatible with the <code>d</code> option.
missing.data	A Boolean option. If TRUE, the <code>input.file</code> contains missing genotypes. Caution: <code>lfmm</code> requires imputed genotype matrices. See <a href="#">impute</a> .
CPU	A number of CPUs to run the parallel version of the algorithm. By default, the number of CPUs is 1.
iterations	The total number of cycles for the Gibbs Sampling algorithm.
burnin	The burnin number of cycles for the Gibbs Sampling algorithm.
seed	A seed to initialize the random number generator. By default, the seed is randomly chosen. The seed is initialized in each run of the program. For modifying the default setting, provide one seed per run.
repetitions	A number of replicate runs for the Gibbs Sampler algorithm.
epsilon.noise	A prior parameter for variances.
epsilon.b	A prior parameter for the variance of correlation coefficients.
random.init	A Boolean option. If TRUE, the Gibbs Sampler is initialized randomly. Otherwise, it is initialized with zero values.

### Value

<code>lfmm</code>	returns an object of class <code>lfmmProject</code> .
	The following methods can be applied to an object of class <code>lfmmProject</code> :
<code>show</code>	Display information about all analyses.
<code>summary</code>	Summarize analyses.
<code>\link{z.scores}</code>	Return the <code>lfmm</code> output vector of <code>z.scores</code> for some runs.
<code>\link{lfmm.pvalues}</code>	Return the vector of adjusted p-values for a combination of runs with K latent factors, and for the d-th predictor.
<code>load.lfmmProject(file = "character")</code>	Load the file containing an <code>lfmmProject</code> object and show the object.
<code>remove.lfmmProject(file = "character")</code>	Erase a <code>lfmmProject</code> object. Caution: All the files associated with the object will be removed.
<code>export.lfmmProject(file.lfmmProject)</code>	Create a zip file containing the full <code>lfmmProject</code> object. It allows users to move the project to a new directory or a new computer (using <code>import</code> ). If you want to overwrite an existing export, use the option <code>force == TRUE</code> .
<code>import.lfmmProject(file.lfmmProject)</code>	Import and load an <code>lfmmProject</code> object from a zip file (made with the <code>export</code> function) into the chosen directory. If you want to overwrite an existing project, use the option <code>force == TRUE</code> .
<code>combine.lfmmProject(file.lfmmProject, toCombine.lfmmProject)</code>	Combine <code>to.Combine.lfmmProject</code> into <code>file.lfmmProject</code> . Caution: Only projects with runs coming from the same input file can be combined. If the same input file has different names in the two projects, use the option <code>force == TRUE</code> .

## Author(s)

Eric Frichot Olivier Francois

## References

Frichot E, Schoville SD, Bouchard G, Francois O. (2013). *Testing for associations between loci and environmental gradients using latent factor mixed models*. Molecular biology and evolution, 30(7), 1687-1699.

## See Also

[lfmm.data](#) [z.scores](#) [lfmm.pvalues](#) [pca](#) [lfmm.tutorial](#)

## Examples

```
### Example of analysis using lfmm ###

data("tutorial")
# creation of a genotype file: genotypes.lfmm.
# The file contains 400 SNPs for 50 individuals.
write.lfmm(tutorial.R, "genotypes.lfmm")

# Creation of a phenotype/environment file: gradient.env.
# One environmental predictor for 40 individuals.
write.env(tutorial.C, "gradients.env")

#####
# running lfmm #
#####

# main options, K: (the number of latent factors),
#           CPU: the number of CPUs.

# Runs with K = 6 and 5 repetitions.
# runs with 6000 iterations
# including 3000 iterations for burnin.
# Around 30 seconds per run.
project = lfmm( "genotypes.lfmm",
                "gradients.env",
                K = 6,
                repetitions = 5,
                project = "new")

# get adjusted p-values using all runs
pv = lfmm.pvalues(project, K = 6)

# Evaluate FDR and POWER (TPR)
for (alpha in c(.05,.1,.15,.2)) {
  # expected FDR
  print(paste("expected FDR:", alpha))
  L = length(pv$pvalues)
  # Benjamini-Hochberg's method for an expected FDR = alpha.
```

```
w = which(sort(pv$pvalues) < alpha * (1:L)/L)
candidates = order(pv$pvalues)[w]

# estimated FDR and True Positive Rate
# The targets SNPs are loci 351 to 400
Lc = length(candidates)
estimated.FDR = length(which(candidates <= 350))/Lc
estimated.TPR = length(which(candidates > 350))/50
print(paste("FDR:", estimated.FDR, "True Positive Rate:", estimated.TPR))
}

# remove project
remove.lfmmProject("genotypes_gradients.lfmmProject")
```

---

**lfmm.data***Input file for [lfmm](#)*

---

## Description

Description of the [lfmm](#) format. The [lfmm](#) format can be used as an input format for genotypic matrices in the functions [snmf](#), [lfmm](#), [lfmm2](#), and [pca](#).

## Details

The [lfmm](#) format has one row for each individual. Each row contains one value at each loci (separated by spaces or tabulations) corresponding to the number of alleles. The number of alleles corresponds to the number of reference alleles or the number of derived alleles. Missing genotypes are encoded by the value -9 or the value 9.

For the use of functions [lfmm](#) and [lfmm2](#) missing genotypes must be removed or imputed with the function [impute](#).

Here is an example of a genotypic matrix using the [lfmm](#) format with 3 individuals and 4 loci:

```
1 0 0 1
1 1 9 2
2 0 1 1
```

## Author(s)

Eric Frichot

## See Also

[lfmm](#) [lfmm2](#) [geno2lfmm](#) [lfmm2geno](#) [ancestrymap2lfmm](#) [ped2lfmm](#) [read.lfmm](#) [write.lfmm](#)

---

<b>lfmm.pvalues</b>	<i>P-values from lfmm runs</i>
---------------------	--------------------------------

---

## Description

Returns a vector of p-values computed from a combination of `lfmm` runs. For an example, see [lfmm](#).

## Usage

```
lfmm.pvalues (object, genomic.control, lambda, K, d, all, run)
```

## Arguments

<code>object</code>	An <code>lfmmProject</code> object.
<code>genomic.control</code>	A Boolean value. If TRUE, the p-values are automatically calibrated using genomic control. If FALSE, the p-values are calculated by rescaling the chi-squared test statistics using the <code>lambda</code> parameter.
<code>lambda</code>	A numeric value. The <code>lambda</code> value is used as inflation factor to rescale the chi-squared statistics in the computation of p-values. This option requires that <code>genomic.control = FALSE</code> . The default value of <code>lambda</code> is equal to 1.0 (no rescaling).
<code>K</code>	An integer value. The number of latent factors used in the model.
<code>d</code>	An integer value. Computes the p-values for the <code>d</code> -th covariable in the model.
<code>all</code>	A Boolean value. Each variable is considered separately (Obscure parameter).
<code>run</code>	An integer vector representing a list of runs to be combined in the computation of p-values (by default, all runs).

## Value

<code>pvalues</code>	A vector of combined p-values for each locus.
<code>GIF</code>	The inflation factor value used for correcting the test statistics.

## Author(s)

Eric Frichot Olivier Francois

## See Also

[lfmm.data](#) [lfmm](#)

## Examples

```
### Example of analyses using lfmm ###

data("tutorial")
# creation of a genotype file, "genotypes.lfmm".
# The data contain 400 SNPs for 50 individuals.
write.lfmm(tutorial.R, "genotypes.lfmm")
# creation of an environmental variable file, "gradient.env".
# The data contain one environmental variable measured for 50 individuals.
write.env(tutorial.C, "gradients.env")

#####
# lfmm runs #
#####

# main options, K: (the number of latent factors),
#           CPU: the number of CPUs.

# runs with K = 3 and 2 repetitions.
# around 15 seconds per run.
project = NULL
project = lfmm("genotypes.lfmm", "gradients.env", K = 3, repetitions = 2,
               iterations = 6000, burnin = 3000, project = "new")

# get adjusted p-values using the genomic control method
p = lfmm.pvalues(project, K = 3)

hist(p$pvalues, col = "yellow3")

# get adjusted p-values using lambda = 0.6
p = lfmm.pvalues(project, genomic.control = FALSE,
                  lambda = 0.6, K = 3)

hist(p$pvalues, col = "yellow3")
```

---

## Description

Latent Factor Mixed Models (LFMMs) are factor regression models in which the response variable is a genotypic matrix, and the explanatory variables are environmental measures of ecological interest or trait values. The `lfmm2` function estimates latent factors based on an exact least-squares approach. The resulting object can be used by the function `lfmm2.test` to identify genetic polymorphisms exhibiting association with ecological gradients or phenotypes, while correcting for unobserved confounders. An MCMC estimation algorithm is implemented in the function `lfmm`, but this version should be preferred.

## Usage

```
lfmm2 (input, env, K, lambda, effect.sizes)
```

## Arguments

input	A genotypic matrix or a character string containing a path to the input file. The genotypic matrix must be in the <code>lfmm{lfmm_format}</code> format without missing values (0 or NA). See <code>impute</code> for completion based on nonnegative matrix factorization and consider R packages for reading large matrices.
env	A matrix of environmental covariates or a character string containing a path to the environmental file. The environment matrix must be in the <code>env</code> format without missing values. Response variables must be encoded as numeric.
K	An integer corresponding to the number of latent factors. The number of latent factors could be estimated from the elbow point in the PCA screeplot for the genotype matrix.
lambda	A positive numeric value for a ridge regularization parameter. The default value is set to 1e-5.
effect.sizes	A logical value that indicates whether the matrix of effect sizes should be returned or not. The default value is set to FALSE for saving memory space.

## Value

`lfmm2` returns an object of class `lfmm2Class` that contains \$K\$ estimated latent factors @U and their loadings @V.

The following method can be applied to an object of class `lfmm2Class`:

```
\link{lfmm2.test}
P-values adjusted for the $K$ latent factors computed by lfmm2.
```

## Author(s)

Olivier Francois

## References

Caye K, Jumentier B, Lepeule J, Francois O. (2019). LFMM 2: fast and accurate inference of gene-environment associations in genome-wide studies. *Molecular biology and evolution*, 36(4), 852-860.

Gain C, Francois O. (2021). LEA 3: Factor models in population genetics and ecological genomics with R. *Molecular Ecology Resources*. doi: 10.1111/1755-0998.13366

## See Also

`lfmm.data` `impute` `lfmm2.test` `pca` `lfmm` `tutorial`

## Examples

```
### Example of analysis using lfmm2 ###

# Simulation with 10 target loci, with effect sizes ranging between -10 an 10
# n = 100 individuals and L = 1000 loci

X <- as.matrix(rnorm(100)) # causal environmental variable
B <- rep(0, 1000)
target <- sample(1:1000, 10) # target loci
B[target] <- runif(10, -10, +10) # effect sizes

# Creating hidden factors and loadings

U <- t(tcrossprod(as.matrix(c(-1,0.5,1.5)), X))+ matrix(rnorm(300), ncol = 3)
V <- matrix(rnorm(3000), ncol = 3)

# Simulating a binarized matrix containing haploid genotypes
# Simulation performed with the generative LFMM

Y <- tcrossprod(as.matrix(X), B) + tcrossprod(U, V) + matrix(rnorm(100000, sd = .5), nrow = 100)
Y <- matrix(as.numeric(Y > 0), ncol = 1000)

#####
# Fitting an LFMM with K = 3 factors #
#####

mod2 <- lfmm2(input = Y, env = X, K = 3)

# Computing P-values and plotting their minus log10 values
# Target loci are highlighted

pv <- lfmm2.test(object = mod2, input = Y, env = X, linear = TRUE)
plot(-log10(pv$pvalues), col = "grey", cex = .4, pch = 19)
points(target, -log10(pv$pvalues[target]), col = "red")

#rm(list = ls())
```

---

lfmm2.test

*P-values adjusted for latent factors computed by lfmm2.*

---

## Description

The function returns a vector of p-values for association between loci and environmental variables adjusted for latent factors computed by lfmm2. As input, it takes an object of class lfmm2Class with the data that were used to adjust the LFMM. If full is set to FALSE, the function computes significance values (p-values) for each environmental variable, otherwise it returns p-values for the full set of environmental variables.

## Usage

```
lfmm2.test (object, input, env, full, genomic.control, linear, family)
```

## Arguments

object	An object of class <code>lfmm2Class</code> .
input	A genotypic matrix or a character string containing a path to the input file. The genotypic matrix must be in the <code>lfmm{lfmm_format}</code> format without missing values (9 or NA). See <code>impute</code> for completion based on nonnegative matrix factorization and consider R packages for reading large matrices.
env	A matrix of environmental covariates or a character string containing a path to the environmental file. The environment matrix must be in the <code>env</code> format without missing values. Variables must be encoded as numeric.
full	A logical value. If TRUE, p-values are computed for the full set of environmental variables (a single value at each locus). If FALSE, p-values are computed for each environmental variable (as many values as environmental variable at each locus).
genomic.control	A logical value. If TRUE, the p-values are recalibrated by using genomic control after correction for confounding.
linear	A logical value indicating whether linear or generalized linear models should be used to perform the association tests. If FALSE, family should be provided in the next argument.
family	a <code>family</code> for generalized linear models used in the association tests. The default is <code>binomial(link = "logit")</code> , which requires that y is between 0 and 1.

## Value

pvalues	If full is set to FALSE, a matrix of p-values for all loci and for each environmental variable. Otherwise a vector of p-values for all loci (all environmental variables are included in the model).
zscores	If full is set to FALSE, a matrix of z-scores for each locus and each environmental variable.
fscores	If full is set to TRUE, a vector of f-scores for each locus.
adj.r.squared	If full is set to TRUE, a vector of R squared values or variances explained by all environmental variables for all loci. The values are uncalibrated.
gif	If full is set to FALSE, a vector of genomic inflation factors computed for each environmental variable. A single genomic inflation factor otherwise.

## Author(s)

Olivier Francois

## References

Caye K, Jumentier B, Lepeule J, Francois O. (2019). LFMM 2: fast and accurate inference of gene-environment associations in genome-wide studies. *Molecular biology and evolution*, 36(4), 852-860.

## See Also

[lfmm.data](#) [lfmm2](#)

## Examples

```
### Example of analysis using lfmm2 ###

# Simulation with 10 target loci, with effect sizes ranging between -10 an 10
# n = 100 individuals and L = 1000 loci

X <- as.matrix(rnorm(100)) # environmental variable
B <- rep(0, 1000)
target <- sample(1:1000, 10) # target loci
B[target] <- runif(10, -10, +10) # effect sizes

# Creating hidden factors and loadings

U <- t(tcrossprod(as.matrix(c(-1,0.5,1.5)), X)) + matrix(rnorm(300), ncol = 3)
V <- matrix(rnorm(3000), ncol = 3)

# Simulating a binarized matrix containing haploid genotypes
# Simulation performed with the generative LFMM

Y <- tcrossprod(as.matrix(X), B) + tcrossprod(U, V) + matrix(rnorm(100000, sd = .5), nrow = 100)
Y <- matrix(as.numeric(Y > 0), ncol = 1000)

#####
# Fitting an LFMM with K = 3 factors #
#####

mod2 <- lfmm2(input = Y, env = X, K = 3)

# Computing P-values and plotting their minus log10 values
# Target loci are highlighted

pv <- lfmm2.test(object = mod2, input = Y, env = X, linear = TRUE)
plot(-log10(pv$pvalues), col = "grey", cex = .4, pch = 19)
points(target, -log10(pv$pvalues[target]), col = "red")
```

## Description

A function that converts from the [lfmm](#) format to the [geno](#) format.

## Usage

```
lfmm2geno(input.file, output.file = NULL, force = TRUE)
```

## Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <a href="#">lfmm</a> format.
<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">geno</a> format. By default, the name of the output file is the same name of the input file with a <code>.geno</code> extension.
<code>force</code>	A boolean option. If <code>FALSE</code> , the input file is converted only if the output file does not exist. If <code>TRUE</code> , convert the file anyway.

## Value

<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">geno</a> format.
--------------------------	---

## Author(s)

Eric Frichot

## See Also

[lfmm.data](#) [geno](#) [ancestrymap2lfmm](#) [ancestrymap2geno](#) [geno2lfmm](#) [ped2lfmm](#) [ped2geno](#) [vcf2geno](#)

## Examples

```
# Creation of a file called "genotypes.lfmm" in the working directory,
# with 400 SNPs for 50 individuals.
data("tutorial")
write.lfmm(tutorial.R, "genotypes.lfmm")

# Conversion from the lfmm format ("genotypes.lfmm")
# to the geno format ("genotypes.gen0").
# By default, the name of the output file is the same name
# as the input file with a .geno extension.
# Create file: "genotypes.gen0".
output = lfmm2geno("genotypes.lfmm")

# Conversion from the lfmm format ("genotypes.lfmm")
# to the geno format with the output file called "plop.gen0".
# Create file: "plop.gen0".
output = lfmm2geno("genotypes.lfmm", "plop.gen0")

# As force = false and the file "genotypes.gen0" already exists,
```

```
# nothing happens.  
output = lfmm2geno("genotypes.lfmm", force = FALSE)
```

---

**offset\_example***Example data for genetic offset analysis*

---

**Description**

The data set is composed of a genotypic matrix stored in a lfmm format (geno) containing 200 individuals genotyped at 510 SNPs, a matrix with 4 correlated environmental variables measured for each individual in the env format, and a matrix with the same 4 variables after environmental change (env.pred).

**Value**

geno	A genotypic matrix that contains haploid genotypes for 200 individuals at 510 SNPs (lfmm format).
env	A matrix with 4 correlated environmental variables measured for 200 genotyped individuals.
env.pred	A matrix with the same 4 variables predicted for the 200 individuals after environmental change.

---

**pca***Principal Component Analysis*

---

**Description**

The pca function performs a principal component analysis of a genotypic matrix encoded in one of the following formats: [lfmm](#), [geno](#), [ancestrymap](#), [ped](#) or [vcf](#). The pca function computes eigenvalues, eigenvectors, and standard deviations for all principal components and the projections of individuals on each component. The pca function returns an object of class "pcaProject" containing the output data and the input parameters.

**Usage**

```
pca (input.file, K, center = TRUE, scale = FALSE)
```

**Arguments**

input.file	A character string containing the path to the genotype input file, a genotypic matrix in the <a href="#">lfmm</a> format.
K	An integer corresponding to the number of principal components calculated. By default, all principal components are calculated.
center	A boolean option. If TRUE, the data matrix is centered (default: TRUE).
scale	A boolean option. If TRUE, the data matrix is centered and scaled (default: FALSE).

**Value**

pca returns an object of class `pcaProject` containing the following components:

<code>eigenvalues</code>	The vector of eigenvalues.
<code>eigenvectors</code>	The matrix of eigenvectors (one column for each eigenvector).
<code>sdev</code>	The vector of standard deviations.
<code>projections</code>	The matrix of projections (one column for each projection).

The following methods can be applied to the object of class `pcaProject` returned by pca:

<code>plot</code>	Plot the eigenvalues.
<code>show</code>	Display information on analysis.
<code>summary</code>	Summarize analysis.
<code>tracy.widom</code>	Perform Tracy-Widom tests for eigenvalues.
<code>load.pcaProject(file.pcaProject)</code>	Load the file containing a <code>pcaProject</code> object and return the <code>pcaProject</code> object.
<code>remove.pcaProject(file.pcaProject)</code>	Erase a <code>pcaProject</code> object. Caution: All the files associated with the <code>pcaProject</code> object will be removed except the genotype file.
<code>export.pcaProject(file.pcaProject)</code>	Create a zip file containing the full <code>pcaProject</code> object. It allows users to move the project to a new directory or a new computer (using <code>import</code> ). If you want to overwrite an existing export, use the option <code>force == TRUE</code> .
<code>import.pcaProject(file.pcaProject)</code>	Import and load an <code>pcaProject</code> object from a zip file (made with the <code>export</code> function) into the chosen directory. If you want to overwrite an existing project, use the option <code>force == TRUE</code> .

**Author(s)**

Eric Frichot

**See Also**

[lfmm.data](#) [snmf](#) [lfmm](#) [lfmm2](#) [tutorial](#)

**Examples**

```
# Create a genotype file "genotypes.lfmm"
# with 1000 SNPs for 165 individuals.
data("tutorial")
write.lfmm(tutorial.R,"genotypes.lfmm")

#####
# Perform PCA  #
#####

# run PCA
```

```
# Available options: K (the number of PCs),
#                   center and scale.
# Creation of  genotypes.pcaProject - the pcaProject object.
#                   a directory genotypes.pca containing:
# genotypes.eigenvalues - eigenvalues,
# genotypes.eigenvectors - eigenvectors,
# genotypes.sdev - standard deviations,
# genotypes.projections - projections,
```

```
# Create a pcaProject object: pc.
pc <- pca("genotypes.lfmm", scale = TRUE)
```

```
#####
# Display information #
#####
```

```
# Display information on analysis.
show(pc)
```

```
# Summarize analysis.
summary(pc)
```

```
#####
# Graphical outputs #
#####
```

```
par(mfrow=c(2,2))
```

```
# Plot eigenvalues.
plot(pc, lwd=5, col="blue", cex = .7, xlab="Factors"), ylab="Eigenvalues")
```

```
# PC1-PC2 plot.
plot(pc$projections)
# PC3-PC4 plot.
plot(pc$projections[,3:4])
```

```
# Plot standard deviations.
plot(pc$sdev)
```

```
#####
# Perform Tracy-Widom tests #
#####
```

```
# Perform Tracy-Widom tests for all eigenvalues.
# Create file: genotypes.tracyWidom - tracy-widom test information,
#               in the directory genotypes.pca/ .
tw <- tracy.widom(pc)
```

```
# Plot the percentage of variance explained by each component.
plot(tw$percentage)
```

```
# Show p-values for the Tracy-Widom tests.
tw$pvalues
```

```
#####
# Manage a pca project  #
#####

# All the project files for a given input matrix are
# automatically saved into a pca project directory.
# The name of the pcaProject file is the same name as
# the name of the input file with a .pcaProject extension
# ("genotypes.pcaProject").
# The name of the pcaProject directory is the same name as
# the name of the input file with .pca extension ("genotypes.pca/")
# There is only one pca Project for each input file including all the runs.

# An pcaProject can be load in a different session.
project = load.pcaProject("genotypes.pcaProject")

# An pcaProject can be exported to be imported in another directory
# or in another computer
export.pcaProject("genotypes.pcaProject")

dir.create("test", showWarnings = TRUE)
#import
newProject = import.pcaProject("genotypes_pcaProject.zip", "test")
# remove
remove.pcaProject("test/genotypes.pcaProject")

# A pcaProject can be erased.
# Caution: All the files associated with the project will be removed.
remove.pcaProject("genotypes.pcaProject")
```

---

ped	<i>ped format description</i>
-----	-------------------------------

---

## Description

Description of the ped format. The ped format can be used as an input format for genotypic matrices in the functions [snmf](#), [lfmm](#), and [pca](#).

## Details

The ped format has one row for each individual. Each row contains 6 columns of information for each individual, plus two genotype columns for each SNP. Each column must be separated by spaces or tabulations. The genotype format must be either 0ACGT or 01234, where 0 means missing genotype. The first 6 columns of the genotype file are: the 1st column is the family ID, the 2nd column is the sample ID, the 3rd and 4th columns are the sample IDs of parents, the 5th column is the gender (male is 1, female is 2), the 6th column is the case/control status (1 is control, 2 is case), the quantitative trait value or the population group label.

The `ped` format is described [here](#).

Here is an example with 3 individuals and 4 SNPs:

```
1  SAMPLE0 0 0 2 2 1 2 3 3 1 1 2 1
2  SAMPLE1 0 0 1 2 2 1 1 3 0 4 1 1
3  SAMPLE2 0 0 2 1 2 2 3 3 1 4 1 2
```

### Author(s)

Eric Fritchot

### See Also

[ped2lfmm](#) [ped2geno](#) [geno](#) [lfmm](#).data [ancestrymap](#) [vcf](#)

---

ped2geno

*Convert from `ped` to `geno` format*

---

### Description

A function that converts from the `ped` format to the `geno` format.

### Usage

```
ped2geno(input.file, output.file = NULL, force = TRUE)
```

### Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <code>ped</code> format.
<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <code>geno</code> format. By default, the name of the output file is the same name as the input file with a <code>.geno</code> extension.
<code>force</code>	A boolean option. If <code>FALSE</code> , the input file is converted only if the output file does not exist. If <code>TRUE</code> , convert the file anyway.

### Value

<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <code>geno</code> format.
--------------------------	--

### Author(s)

Eric Fritchot

### See Also

[ped](#) [geno](#) [ancestrymap2lfmm](#) [ancestrymap2geno](#) [geno2lfmm](#) [ped2lfmm](#) [vcf2geno](#) [lfmm2geno](#)

## Examples

```

# Creation of a file called "example.ped"
# with 4 SNPs for 3 individuals.
data("example_ped")
write.table(example_ped, "example.ped",
            col.names = FALSE, row.names = FALSE, quote = FALSE)

# Conversion from the ped format ("example.ped")
# to the geno format ("example.geno").
# By default, the name of the output file is the same name
# as the input file with a .geno extension.
# Create file: "example.geno".
output = ped2geno("example.ped")

# Conversion from the ped format ("example.ped")
# to the geno format with the output file called "plop.geno".
# Create file: "plop.geno".
output = ped2geno("example.ped", "plop.geno")

# As force = false and the file "example.geno" already exists,
# nothing happens.
output = ped2geno("example.ped", force = FALSE)

```

---

ped2lfmm

*Convert from [ped](#) to [lfmm](#) format*

---

## Description

A function that converts from the [ped](#) format to the [lfmm](#) format.

## Usage

```
ped2lfmm(input.file, output.file = NULL, force = TRUE)
```

## Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <a href="#">ped</a> format.
<code>output.file</code>	A character string containing a path for the output file, a genotypic matrix in the <a href="#">lfmm</a> format. By default, the name of the output file is the same name as the input file with a .lfmm extension.
<code>force</code>	A boolean option. If FALSE, the input file is converted only if the output file does not exist. If TRUE, convert the file anyway.

## Value

<code>output.file</code>	A character string containing a path for the output file, a genotypic matrix in the <a href="#">lfmm</a> format.
--------------------------	--

**Author(s)**

Eric Frichot

**See Also**

[ped1fmm](#) [data](#) [ancestrymap21fmm](#) [ancestrymap2geno](#) [geno21fmm](#) [ped2geno](#) [vcf2geno](#) [1fmm2geno](#)

**Examples**

```
# Creation of a file called "example.ped"
# with 4 SNPs for 3 individuals.
data("example_ped")
write.table(example_ped,"example.ped",
           col.names = FALSE, row.names = FALSE, quote = FALSE)

# Conversion from the ped format ("example.ped")
# to the lfmm format ("example.lfmm").
# By default, the name of the output file is the same name
# as the input file with a .lfmm extension.
# Create file: "example.lfmm".
output = ped2lfmm("example.ped")

# Conversion from the ped format ("example.ped")
# to the geno format with the output file called "plop.lfmm".
# Create file: "plop.lfmm".
output = ped2lfmm("example.ped", "plop.lfmm")

# As force = false and the file "example.lfmm" already exists,
# nothing happens.
output = ped2lfmm("example.ped", force = FALSE)
```

**Description**

Return the `snmf` output matrix of admixture coefficients for the chosen run with K ancestral populations. For an example, see [snmf](#).

**Usage**

`Q(object, K, run)`

**Arguments**

<code>object</code>	A <code>snmfProject</code> object.
<code>K</code>	The number of ancestral populations.
<code>run</code>	A chosen run.

**Value**

`res` A matrix containing the admixture coefficients for the chosen run with K ancestral populations.

**Author(s)**

Eric Frichot

**See Also**

[geno](#) [snmf](#) [G](#) [cross.entropy](#)

**Examples**

```
### Example of analysis using snmf ###

# Creation of the genotype file: genotypes.geno.
# The data contain 400 SNPs for 50 individuals.
data("tutorial")
write.geno(tutorial.R, "genotypes.geno")

#####
# running snmf #
#####

project.snmf <- snmf("genotypes.geno",
                      K = 3,
                      repetitions = 2,
                      project = "new")

# get the ancestry coefficients for the 2nd run for K = 3.
Q.3 <- Q( project.snmf, K = 3, run = 2)

# cluster assignment for each individual
cluster <- apply( Q.3, 1, which.max)
table(cluster)
```

`read.env`

*Read environmental file in the [env](#) format*

**Description**

Read a file in the [env](#) format.

**Usage**

`read.env(input.file)`

**Arguments**

<code>input.file</code>	A character string containing a path to the input file, an environmental data matrix in the <a href="#">env</a> format.
-------------------------	---

**Value**

<code>R</code>	A matrix containing the environmental variables with one line for each individual and one column for each environmental variable.
----------------	---

**Author(s)**

Eric Frichot

**See Also**

[env](#) [write.env](#) [lfmm](#)

**Examples**

```
# Creation of an environmental matrix, C
# containing 2 environmental variables for 3 individuals.
# C contains one line for each individual and one column for each variable.
C = matrix(runif(6), ncol=2, nrow=3)

# Write C in a file called "example.env".
# Create file: "example.env".
write.env(C, "example.env")

# Read the file "example.env".
C = read.env("example.env")
```

---

read.geno

*read a file in the [geno](#) format*

---

**Description**

Read a file in the [geno](#) format.

**Usage**

`read.geno(input.file)`

**Arguments**

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <a href="#">geno</a> format.
-------------------------	--

**Value**

R A matrix containing the genotypes with one line for each individual and one column for each SNP.

**Author(s)**

Eric Frichot

**See Also**

[write.geno](#) [geno](#) [snmf](#) [geno2lfmm](#) [lfmm2geno](#) [ancestrymap2geno](#) [ped2geno](#) [vcf2geno](#)

**Examples**

```
# tutorial contains a matrix of genotypes R with 1000 SNPs for 165 individuals.
# and a matrix with an environmental variable C.
data("tutorial")

# Write R in a file called "genotypes.geno".
# Create file: "genotypes.geno".
write.geno(tutorial.R,"genotypes.geno")

# Read the file "genotypes.geno".
R = read.geno("genotypes.geno")
```

[read.lfmm](#)

*Read files in the [lfmm](#) format*

**Description**

Read a file in the [lfmm](#) format.

**Usage**

`read.lfmm(input.file)`

**Arguments**

`input.file` A character string containing a path to the input file, a genotypic matrix in the [lfmm](#) format.

**Value**

R A matrix containing the genotypes with one line per individual and one column per SNP.

**Author(s)**

Eric Frichot

**See Also**

[write.lfmm](#) [lfmm](#).data [lfmm](#).geno2lfmm [lfmm](#).2geno [ancestrymap2lfmm](#) [ped2lfmm](#)

**Examples**

```
# tutorial contains a matrix of genotypes R with 1000 SNPs for 165 individuals.  
# and a matrix with an environmental variable C.  
data("tutorial")  
  
# write R in a file called "genotypes.lfmm"  
# Create file: "genotypes.lfmm".  
write.lfmm(tutorial.R,"genotypes.lfmm")  
  
# read the file "genotypes.lfmm".  
R = read.lfmm("genotypes.lfmm")
```

---

read.zscore

*Read the output files of [lfmm](#)*

---

**Description**

Read the output file from [lfmm](#). This is an internal function. Zscores of a run can be accessed using the function [z.scores](#).

**Usage**

```
read.zscore(input.file)
```

**Arguments**

`input.file` a character string containing a path to the output of [lfmm](#).

**Value**

`R` A matrix containing the [lfmm](#) results with one line per SNP. The first column is the zscore. The second column is the -log10(p-value). The third column is the p-value.

**Author(s)**

Eric Frichot

**See Also**

[zscores.format](#) [lfmm](#)

## Examples

```
### Example of analyses using lfmm ###

data("tutorial")
# creation of the genotype file, genotypes.lfmm.
# It contains 400 SNPs for 50 individuals.
write.lfmm(tutorial.R, "genotypes.lfmm")
# creation of the environment file, gradient.env.
# It contains 1 environmental variable for 40 individuals.
write.env(tutorial.C, "gradients.env")

#####
# runs of lfmm #
#####

# main options, K: (the number of latent factors),
#           CPU: the number of CPUs.

# Toy runs with K = 3 and 2 repetitions.
# around 15 seconds per run.
project = NULL
project = lfmm("genotypes.lfmm", "gradients.env", K = 3,
               iterations = 6000, burnin = 3000, project = "new")

res = read.zscore("./genotypes_gradients.lfmm/K3/run1/genotypes_r1_s1.3.zscore")
```

---

snmf

*Estimates individual ancestry coefficients and ancestral allele frequencies.*

---

## Description

**snmf** estimates admixture coefficients using sparse Non-Negative Matrix Factorization algorithms, and provides STRUCTURE-like outputs.

## Usage

```
snmf (input.file, K,
      project = "continue",
      repetitions = 1, CPU = 1,
      alpha = 10, tolerance = 0.00001, entropy = FALSE, percentage = 0.05,
      I, iterations = 200, ploidy = 2, seed = -1, Q.input.file)
```

## Arguments

input.file	A character string containing a the path to the input file, a genotypic matrix in the <b>geno</b> format.
K	An integer vector corresponding to the number of ancestral populations for which the snmf algorithm estimates have to be calculated.

project	A character string among "continue", "new", and "force". If "continue", the results are stored in the current project. If "new", the current project is removed and a new one is created to store the result. If "force", the results are stored in the current project even if the input file has been modified since the creation of the project.
repetitions	An integer corresponding with the number of repetitions for each value of K.
CPU	A number of CPUs to run the parallel version of the algorithm. By default, the number of CPUs is 1.
alpha	A numeric value corresponding to the snmf regularization parameter. The results can depend on the value of this parameter, especially for small data sets.
tolerance	A numeric value for the tolerance error.
entropy	A boolean value. If true, the cross-entropy criterion is calculated (see <a href="#">create.dataset</a> and <a href="#">cross.entropy.estimation</a> ).
percentage	A numeric value between 0 and 1 containing the percentage of masked genotypes when computing the cross-entropy criterion. This option applies only if <code>entropy == TRUE</code> (see <a href="#">cross.entropy</a> ).
I	The number of SNPs to initialize the algorithm. It starts the algorithm with a run of snmf using a subset of nb.SNPs random SNPs. If this option is set with nb.SNPs, the number of randomly chosen SNPs is the minimum between 10000 and 10 % of all SNPs. This option can considerably speeds up snmf estimation for very large data sets.
iterations	An integer for the maximum number of iterations in algorithm.
ploidy	1 if haploid, 2 if diploid, n if n-ploid.
seed	A seed to initialize the random number generator. By default, the seed is randomly chosen.
Q.input.file	A character string containing a path to an initialization file for Q, the individual admixture coefficient matrix.

### Value

`snmf` returns an object of class `snmfProject`.

The following methods can be applied to the object of class `snmfProject`:

plot	Plot the minimal cross-entropy in function of K.
show	Display information about the analyses.
summary	Summarize the analyses.
\link{Q}	Return the admixture coefficient matrix for the chosen run with K ancestral populations.
\link{G}	Return the ancestral allele frequency matrix for the chosen run with K ancestral populations.
\link{cross.entropy}	Return the cross-entropy criterion for the chosen runs with K ancestral populations.

```

\link{snmf.pvalues}
    Return the vector of adjusted p-values for a run with K ancestral populations.

\link{impute}
    Return a geno or lfmm file with missing data imputation.

\link{barchart}
    Return a bar plot representation of the Q matrix from a run with K ancestral
    populations.

load.snmfProject(file.snmfProject)
    Load the file containing an snmfProject objet and return the snmfProject object.

remove.snmfProject(file.snmfProject)
    Erase a snmfProject object. Caution: All the files associated with the object
    will be removed.

export.snmfProject(file.snmfProject)
    Create a zip file containing the full snmfProject object. It allows to move the
    project to a new directory or a new computer (using import). If you want to
    overwrite an existing export, use the option force == TRUE.

import.snmfProject(file.snmfProject)
    Import and load an snmfProject object from a zip file (made with the export
    function) into the chosen directory. If you want to overwrite an existing project,
    use the option force == TRUE.

combine.snmfProject(file.snmfProject, toCombine.snmfProject)
    Combine to.Combine.snmfProject into file.snmfProject. Caution: Only
    projects with runs coming from the same input file can be combined. If the same
    input file has different names in the two projects, use the option force == TRUE.

```

## Author(s)

Eric Frichot

## References

Frichot E, Mathieu F, Trouillon T, Bouchard G, Francois O. (2014). *Fast and Efficient Estimation of Individual Ancestry Coefficients*. Genetics, 194(4): 973–983.

## See Also

[geno](#) [pca](#) [lfmm](#) [Q](#) [barchart](#) [tutorial](#)

## Examples

```

### Example of analysis using snmf ###

# Creation of the genotype file: genotypes.geno.
# The data contain 400 SNPs for 50 individuals.
data("tutorial")
write.geno(tutorial.R, "genotypes.geno")

#####
# running snmf #
#####

```

```
project.snmf = snmf("genotypes.geno",
                     K = 1:10,
                     entropy = TRUE,
                     repetitions = 10,
                     project = "new")

# plot cross-entropy criterion of all runs of the project
plot(project.snmf, cex = 1.2, col = "lightblue", pch = 19)

# get the cross-entropy of the 10 runs for K = 4
ce = cross.entropy(project.snmf, K = 4)

# select the run with the lowest cross-entropy for K = 4
best = which.min(ce)

# display the Q-matrix

my.colors <- c("tomato", "lightblue",
              "olivedrab", "gold")

barchart(project.snmf, K = 4, run = best,
         border = NA, space = 0, col = my.colors,
         xlab = "Individuals", ylab = "Ancestry proportions",
         main = "Ancestry matrix") -> bp

axis(1, at = 1:length(bp$order),
     labels = bp$order, las = 3, cex.axis = .4)

#####
# Post-treatments #
#####

# show the project
show(project.snmf)

# summary of the project
summary(project.snmf)

# get the cross-entropy for all runs for K = 4
ce = cross.entropy(project.snmf, K = 4)

# get the cross-entropy for the 2nd run for K = 4
ce = cross.entropy(project.snmf, K = 4, run = 2)

# get the ancestral genotype frequency matrix, G, for the 2nd run for K = 4.
freq = G(project.snmf, K = 4, run = 2)

#####
# Advanced snmf run options #
#####
```

```

# Q.input.file: init a run with a given ancestry coefficient matrix Q.
# To run the example, remove the comment character

# Example where Q is initialized with the matrix resulting
# from a previous run with K = 4

# project.snmf = snmf("genotypes.geno", K = 4,
#   Q.input.file = "./genotypes.snmf/K4/run1/genotypes_r1.4.Q", project = "new")

# I: init the Q matrix of a run from a smaller run with 100 randomly chosen
# SNPs.
project.snmf = snmf("genotypes.geno", K = 4, I = 100, project = "new")

# CPU: run snmf with 2 CPUs.
project.snmf = snmf("genotypes.geno", K = 4, CPU = 2, project = "new")

# percentage: run snmf and calculate the cross-entropy criterion with 10% of
# masked genotypes, instead of 5% of masked genotypes.
project.snmf = snmf("genotypes.geno", K = 4, entropy = TRUE, percentage = 0.1, project = "new")

# seed: choose the seed for the random generator.
project.snmf = snmf("genotypes.geno", K = 4, seed = 42, project = "new")

# alpha: choose the regularization parameter.
project.snmf = snmf("genotypes.geno", K = 4, alpha = 100, project = "new")

# tolerance: choose the tolerance parameter.
project.snmf = snmf("genotypes.geno", K = 4, tolerance = 0.0001, project = "new")

#####
# Manage an snmf project #
#####

# All the runs of snmf for a given file are
# automatically saved into an snmf project directory and a file.
# The name of the snmfProject file is the same name as
# the name of the input file with a .snmfProject extension
# ("genotypes.snmfProject").
# The name of the snmfProject directory is the same name as
# the name of the input file with a .snmf extension ("genotypes.snmf/")
# There is only one snmf Project for each input file including all the runs.

# An snmfProject can be load in a different session.
project.snmf = load.snmfProject("genotypes.snmfProject")

# An snmfProject can be exported to be imported in another directory
# or in another computer
export.snmfProject("genotypes.snmfProject")

```

```

dir.create("test", showWarnings = TRUE)
#import
newProject = import.snmfProject("genotypes_snmfProject.zip", "test")
# combine projects
combinedProject = combine.snmfProject("genotypes.snmfProject", "test/genotypes.snmfProject")
# remove
remove.snmfProject("test/genotypes.snmfProject")

# An snmfProject can be erased.
# Caution: All the files associated with the project will be removed.
remove.snmfProject("genotypes.snmfProject")

```

---

**snmf.pvalues***P-values for snmf population differentiation tests*

---

**Description**

Returns a vector of p-values computed from an `snmf` run.

**Usage**

```
snmf.pvalues (object, genomic.control, lambda, ploidy, entropy, fisher, K, run)
```

**Arguments**

<code>object</code>	An <code>snmfProject</code> object.
<code>genomic.control</code>	A Boolean value. If TRUE, the p-values are automatically calibrated using genomic control. If FALSE, the p-values are calculated by rescaling the chi-squared test statistics using the <code>lambda</code> parameter.
<code>lambda</code>	A numeric value. The <code>lambda</code> value is used as an inflation factor to rescale the chi-squared statistics in the computation of p-values. This option requires that <code>genomic.control = FALSE</code> . The default value of <code>lambda</code> is equal to 1.0 (no rescaling).
<code>ploidy</code>	An integer value among 1 or 2. Tests are implemented for haploids and diploids (to be extended to polypoids).
<code>entropy</code>	A Boolean value. If TRUE, the run of minimum entropy is used for computing the p-values.
<code>fisher</code>	A Boolean value. If TRUE, F-distributions are used to test the null-hypothesis, Chi-squared otherwise.
<code>K</code>	An integer value. The number of genetic clusters.
<code>run</code>	An integer for the run number used the computation of p-values (by default, the minimum entropy run).

**Value**

`p.values` A vector of p-values for each locus for the population differentiation test.  
`GIF` The inflation factor value used in the test.

**Author(s)**

Olivier Francois

**References**

Martins, H., Caye, K., Luu, K., Blum, M. G. B., Francois, O. (2016). Identifying outlier loci in admixed and in continuous populations using ancestral population differentiation statistics. *Molecular Ecology*, 25(20), 5029-5042.

**See Also**

[snmf](#)

**Examples**

```
### Example of analyses using snmf ###

data("tutorial")
# creation of a genotype file, "genotypes.lfmm".
# The data contain 400 SNPs for 50 individuals.
write.geno(tutorial.R, "genotypes.geno")

#####
# snmf runs  #
#####

# main options, K: the number of ancestral populations,
#           entropy: cross-entropy criterion,
#           CPU: the number of CPUs.

project.snmf = snmf("genotypes.geno",
                    K = 4,
                    entropy = TRUE,
                    ploidy = 2,
                    repetitions = 10,
                    project = "new")

# genome scan using adjusted p-values (genomic control method)

p = snmf.pvalues(project.snmf, entropy = TRUE, ploidy = 2, K = 4)
p$GIF

par(mfrow = c(2,1))
hist(p$pvalues, col = "orange")
```

```
plot(-log10(p$pvalues), pch = 19, col = "blue", cex = .7)
```

---

**struct2geno**

*Conversion from the STRUCTURE format to the geno format.*

---

**Description**

The function converts a multiallelic genotype file in the STRUCTURE format into a file in the 'geno' for [snmf](#) and the 'lfmm' format for [lfmm](#).

**Usage**

```
struct2geno (input.file, ploidy, FORMAT, extra.row, extra.column)
```

**Arguments**

<code>input.file</code>	A character string. A path to a STRUCTURE or a TESS input file of multiallelic markers (eg, microsatellites) for haploid or diploid individuals. Missing data must be encoded as "-9" or as any negative value. Individual genotypes are encoded using either one or two rows of data.
<code>ploidy</code>	An integer value (1 or 2). Value 2 for diploids and 1 for haploids.
<code>FORMAT</code>	An integer value equal to 1 for markers encoded using one row of data for each individual, and 2 for markers encoded using two rows of data for each individual.
<code>extra.row</code>	An integer value indicating the number of extra rows in the header of the input file (eg, marker ids).
<code>extra.column</code>	an integer value indicating the number of extra columns in the input file. Extra columns can include individual ids, pop ids, geographic coordinates, etc.

**Value**

NULL. Output files in the 'geno' and the 'lfmm' format record individual genotypes for each allele at each marker.

**Author(s)**

Olivier Francois

**See Also**

[lfmm.data](#) [geno](#) [lfmm](#) [snmf](#)

## Examples

```
### Example of conversion from a STRUCTURE format ###
### Artificial data with 10 diploid individuals and 10 STR markers
### FORMAT = 1
### Input file: 'dat.str'

dat.str <- matrix(sample(c(101:105,-9),
                        200, prob = c(rep(1,5), 0.1),
                        replace = TRUE),
                        nrow = 10, ncol = 20)
write.table(dat.str,
            file = "dat.str",
            col.names = FALSE,
            row.names = FALSE,
            quote = FALSE)

### Conversion
struct2geno("dat.str", ploidy = 2, FORMAT = 1)

### snmf run and barplot
s <- snmf("dat.str.geno", K = 2, project = "new")
barchart(s, K = 2, run = 1, xlab = "Individuals")
```

tracy.widom

*Tracy-Widom test for eigenvalues*

## Description

Perform tracy-widom tests on a set of eigenvalues to determine the number of significative eigenvalues and calculate the percentage of variance explained by each principal component. For an example, see [pca](#).

## Usage

```
tracy.widom (object)
```

## Arguments

object	a pcaProject object.
--------	----------------------

## Value

`tracy.widom` returns a list containing the following components:

eigenvalues	The sorted input vector of eigenvalues (by decreasing order).
twstats	The vector of tracy-widom statistics.
pvalues	The vector of p-values associated with each eigenvalue.
effecn	The vector of effective sizes.
percentage	The vector containing the percentage of variance explained by each principal component.

**Author(s)**

Eric Frichot

**References**

Tracy CA and Widom H. (1994). *Level spacing distributions and the bessel kernel*. Commun Math Phys. 161 :289–309. Patterson N, Price AL and Reich D. (2006). *Population structure and eigenanalysis*. PLoS Genet. 2 :20.

**See Also**

[pca](#) [lfmm](#).[data](#) [lfmm](#)

**Examples**

```

# Creation of the genotype file "genotypes.lfmm"
# with 1000 SNPs for 165 individuals.
data("tutorial")
write.lfmm(tutorial.R,"genotypes.lfmm")

#####
# Perform a PCA #
#####

# run of PCA
# Available      options, K (the number of PCs calculated),
#                  center and scale.
# Creation of    genotypes.pcaProject - the pcaProject object.
#                  a directory genotypes.pca containing:
# Create files: genotypes.eigenvalues - eigenvalues,
#                  genotypes.eigenvectors - eigenvectors,
#                  genotypes.sdev - standard deviations,
#                  genotypes.projections - projections,
# Create a pcaProject object: pc.
pc = pca("genotypes.lfmm", scale = TRUE)

#####
# Perform Tracy-Widom tests #
#####

# Perform Tracy-Widom tests on all eigenvalues.
# Create file: genotypes.tracyWidom - tracy-widom test information,
#                  in the directory genotypes.pca/.
tw = tracy.widom(pc)

# Plot the percentage of variance explained by each component.
plot(tw$percentage)

# Display the p-values for the Tracy-Widom tests.
tw$pvalues

# remove pca Project

```

```
remove.pcaProject("genotypes.pcaProject")
```

---

tutorial	<i>Example tutorial data sets</i>
----------	-----------------------------------

---

## Description

This data set is composed of a genotypic matrix stored in `tutorial.R` with 50 individuals genotyped at 400 SNPs. The last 50 SNPs are correlated with an environmental variable recorded in `tutorial.C`. The data are a subset of the data shown in the computer note associated with the package (Frichot and Francois 2015).

## Value

<code>tutorial.R</code>	A genotypic matrix for 50 individuals genotyped at 400 SNPs. The last 50 SNPs are correlated with an environmental variable stored in <code>tutorial.C</code> .
<code>tutorial.C</code>	An environmental variable measured for 50 individuals.

---

vcf	<i>vcf format description</i>
-----	-------------------------------

---

## Description

Description of the vcf format. The vcf format can be used as an input format for genotypic matrices in the functions `snmf`, `lfmm`, and `pca`.

## Details

The vcf format is described [here](#).

Here is an example of a genotypic matrix using the vcf format with 3 individuals and 4 loci:

```
##fileformat=VCFv4.1
##FORMAT=<ID=GM,Number=1,Type=Integer,Description="Genotype meta">
##INFO=<ID=VM,Number=1,Type=Integer,Description="Variant meta">
##INFO=<ID=SM,Number=1,Type=Integer,Description="SampleVariant meta">
#CHROM POS ID REF ALT QUAL FILTER INFO FORMAT SAMPLE0 SAMPLE1 SAMPLE2
1 1001 rs0000 T C 999 . VM=1;SM=100 GT:GM 1/0:1 0/1:2 1/1:3
1 1002 rs1111 G A 999 . VM=2;SM=101 GT:GM 0/0:6 0/1:7 0/0:8
1 1003 notres G AA 999 . VM=3;SM=102 GT:GM 0/0:11 ./.:12 0/1:13
1 1004 rs2222 G A 999 . VM=3;SM=102 GT:GM 0/0:11 . 1/0:13
1 1003 notres GA A 999 . VM=3;SM=102 GT:GM 0/0:11 ./.:12 0/1:13
1 1005 rs3333 G A 999 . VM=3;SM=102 GT:GM 1/0:11 1/1:12 0/1:13
```

## Author(s)

Eric Frichot

**See Also**

[vcf2geno](#) [vcf2lfmm](#) [geno](#) [lfmm](#) [ped](#) [ancestrymap](#)

---

vcf2geno

*Convert from vcf to geno format*

---

**Description**

A function that converts from the [vcf](#) format to the [geno](#) format. Note: This function may be obsolete. Conversion in accepted format such as [ped](#) can be obtained with the program [vcftools](#).

**Usage**

```
vcf2geno(input.file, output.file = NULL, force = TRUE)
```

**Arguments**

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <a href="#">vcf</a> format.
<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">geno</a> format. By default, the name of the output file is the same name as the input file with a <code>.geno</code> extension.
<code>force</code>	A boolean option. If <code>FALSE</code> , the input file is converted only if the output file does not exist. If <code>TRUE</code> , convert the file anyway.

**Value**

<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">geno</a> format.
--------------------------	---

**Author(s)**

Eric Frichot

**See Also**

[vcf](#) [geno](#) [ancestrymap2lfmm](#) [ancestrymap2geno](#) [ped2lfmm](#) [ped2geno](#) [lfmm2geno](#) [geno2lfmm](#)

**Examples**

```
# Creation of a file called "example.vcf"
# with 4 SNPs for 3 individuals.
data("example_vcf")
write.table(example_vcf,"example.vcf",col.names =
  c("#CHROM", "POS", "ID", "REF", "ALT", "QUAL", "FILTER", "INFO",
  "FORMAT", "SAMPLE0", "SAMPLE1", "SAMPLE2"),
  row.names = FALSE, quote = FALSE)
```

```

# Conversion      from the vcf format ("example.vcf")
#                  to the geno format ("example.geno").
# By default,    the name of the output file is the same name
#                  as the input file with a .geno extension.
# Create files: "example.geno",
#                  "example.vcfsnp" - SNP informations,
#                  "example.removed" - removed lines.
output = vcf2geno("example.vcf")

# Conversion      from the vcf format ("example.vcf")
#                  to the geno format with the output file called "plop.geno".
# Create files: "plop.geno",
#                  "plop.vcfsnp" - SNP informations,
#                  "plop.removed" - removed lines.
output = vcf2geno("example.vcf", "plop.geno")

# As force = false and the file "example.geno" already exists,
# nothing happens.
output = vcf2geno("example.vcf", force = FALSE)

```

---

## vcf2lfmm

*Convert from [vcf](#) to [lfmm](#) format*

---

### Description

A function that converts from the [vcf](#) format to the [lfmm](#) format. Note: This function may be obsolete. Conversion in accepted format such as [ped](#) can be obtained with the program [vcftools](#).

### Usage

```
vcf2lfmm(input.file, output.file = NULL, force = TRUE)
```

### Arguments

<code>input.file</code>	A character string containing a path to the input file, a genotypic matrix in the <a href="#">vcf</a> format.
<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">lfmm</a> format. By default, the name of the output file is the same name as the input file with a .lfmm extension.
<code>force</code>	A boolean option. If FALSE, the input file is converted only if the output file does not exist. If TRUE, convert the file anyway.

### Value

<code>output.file</code>	A character string containing a path to the output file, a genotypic matrix in the <a href="#">lfmm</a> format.
--------------------------	---

**Author(s)**

Eric Frichot

**See Also**

[vcf lfmm.data ancestrymap2lfmm ancestrymap2geno ped2lfmm ped2geno vcf2geno](#)

**Examples**

```
# Creation of a file called "example.vcf"
# with 4 SNPs for 3 individuals.
data("example_vcf")
write.table(example_vcf, "example.vcf", col.names =
  c("#CHROM", "POS", "ID", "REF", "ALT", "QUAL", "FILTER", "INFO",
  "FORMAT", "SAMPLE0", "SAMPLE1", "SAMPLE2"),
  row.names = FALSE, quote = FALSE)

# Conversion from the vcf format ("example.vcf")
# to the lfmm format ("example.lfmm").
# By default, the name of the output file is the same name
# as the input file with a .lfmm extension.
# Create files: "example.lfmm",
#               "example.vcfsnp" - SNP informations,
#               "example.removed" - removed lines.
output = vcf2lfmm("example.vcf")

# Conversion from the vcf format ("example.vcf")
# to the lfmm format with the output file called "plop.lfmm".
# Create files: "plop.lfmm",
#               "plop.vcfsnp" - SNP informations,
#               "plop.removed" - removed lines.
output = vcf2lfmm("example.vcf", "plop.lfmm")

# As force = false and the file "example.lfmm" already exists,
# nothing happens.
output = vcf2lfmm("example.vcf", force = FALSE)
```

---

write.env

*Write files in the [env](#) format*

---

**Description**

Write a file in the [env](#) format.

**Usage**

`write.env(R, output.file)`

**Arguments**

R A matrix containing the environmental variables with one line for each individual and one column for each environmental variable. The missing genotypes have to be encoded with the value 9.

output.file A character string containing a path to the output file, an environmental data matrix in the env format.

**Value**

output.file A character string containing a path to the output file, an environmental data matrix in the env format.

**Author(s)**

Eric Frichot

**See Also**

[read.env](#) [env](#) [lfmm](#)

**Examples**

```
# Creation of an environmental matrix C
# containing 2 environmental variables for 3 individuals.
# C contains one line for each individual and one column for each variable.
C = matrix(runif(6), ncol=2, nrow=3)

# Write C in a file called "tuto.env".
# Create file: "tuto.env".
write.env(C, "tuto.env")

# Read the file "tuto.env".
C = read.env("tuto.env")
```

write.geno

*Write files in the [geno](#) format*

**Description**

Write a file in the [geno](#) format.

**Usage**

`write.geno(R, output.file)`

**Arguments**

R A matrix containing the genotypes with one line for each individual and one column for each SNP. The missing genotypes have to be encoded with the value 9.

output.file A character string containing a path to the output file, a genotypic matrix in the geno format.

**Value**

output.file A character string containing a path to the output file, a genotypic matrix in the geno format.

**Author(s)**

Eric Frichot

**See Also**

[read.geno](#) [geno](#) [snmf](#) [geno2lfmm](#) [lfmm2geno](#) [ancestrymap2geno](#) [ped2geno](#) [vcf2geno](#)

**Examples**

```
# Creation of a file called "genotypes.geno" in the working directory,  
# with 1000 SNPs for 165 individuals.  
data("tutorial")  
  
# Write R in a file called "genotypes.geno".  
# Create file: "genotypes.geno".  
write.geno(tutorial.R,"genotypes.geno")  
  
# Read the file "genotypes.geno".  
R = read.geno("genotypes.geno")
```

---

write.lfmm

*Write files in the [lfmm](#) format*

---

**Description**

Write a file in the [lfmm](#) format.

**Usage**

`write.lfmm(R, output.file)`

**Arguments**

R A matrix containing the genotypes with one line for each individual and one column for each SNP. The missing genotypes have to be encoded with the value 9.

output.file A character string containing a path to the output file, a genotypic matrix in the `lfmm` format.

**Value**

output.file A character string containing a path to the output file, a genotypic matrix in the `geno` format.

**Author(s)**

Eric Frichot

**See Also**

`read.lfmm` `lfmm.data` `lfmm.geno2lfmm` `lfmm2geno` `ancestrymap2lfmm` `ped2lfmm`

**Examples**

```
# Creation of a file called "genotypes.geno" in the working directory,
# with 1000 SNPs for 165 individuals.
data("tutorial")

# write R in a file called "genotypes.lfmm"
# Create file: "genotypes.lfmm".
write.lfmm(tutorial.R,"genotypes.lfmm")

# read the file "genotypes.lfmm".
R = read.lfmm("genotypes.lfmm")
```

`z.scores`

*z-scores from an lfmm run*

**Description**

Return the `lfmm` output matrix of zscores for the chosen runs with K latent factors, the d-th variable and the all option. For an example, see `lfmm`.

**Usage**

`z.scores (object, K, d, all, run)`

**Arguments**

object	A lfmmProject object.
K	The number of latent factors.
d	The d-th variable.
all	A Boolean option. If true, the run with all variables at the same time. If false, the runs with each variable separately.
run	A list of chosen runs.

**Value**

res	A matrix containing a vector of z-scores for the chosen runs per column.
-----	--

**Author(s)**

Eric Frichot

**See Also**

[lfmm](#) [lfmm.data](#)

**Examples**

```
#### Example of analyses using lfmm ####

data("tutorial")
# creation of the genotype file, genotypes.lfmm.
# It contains 400 SNPs for 50 individuals.
write.lfmm(tutorial.R, "genotypes.lfmm")
# creation of the environment file, gradient.env.
# It contains 1 environmental variable for 40 individuals.
write.env(tutorial.C, "gradients.env")

#####
# runs of lfmm #
#####

# main options, K: the number of latent factors,
# CPU: the number of CPUs.

# Toy runs with K = 3 and 2 repetitions.
# around 15 seconds per run.
project = NULL
project = lfmm("genotypes.lfmm", "gradients.env", K = 3, repetitions = 2,
               iterations = 6000, burnin = 3000, project = "new")

# get the z-scores for all runs for K = 3
z = z.scores(project, K = 3)

# get the z-scores for the 2nd run for K = 3
z = z.scores(project, K = 3, run = 2)
```

```
# remove
remove.lfmmProject("genotypes_gradients.lfmmProject")
```

---

zscores.format      *Output file format for [lfmm](#)*

---

## Description

Description of the zscores output format of [lfmm](#).

## Details

The zscores format has one row for each SNP. Each row contains three values: The first value is the zscores, the second value is the -log10(pvalue), the third value is the p-value (separated by spaces or tabulations).

## Author(s)

Eric Frichot

## See Also

[lfmm](#) [lfmm.data](#) [env](#)

# Index

- \* **conversion**
  - ancestrymap2geno, 5
  - ancestrymap2lfmm, 6
  - geno2lfmm, 21
  - lfmm2geno, 33
  - ped2geno, 39
  - ped2lfmm, 40
  - vcf2geno, 57
  - vcf2lfmm, 58
- \* **format**
  - ancestrymap, 4
  - env, 13
  - geno, 20
  - lfmm.data, 27
  - ped, 38
  - vcf, 56
  - zscore.format, 64
- \* **lfmm2**
  - genetic.gap, 15
  - genetic.offset, 18
  - lfmm, 24
  - lfmm2, 29
  - lfmm2.test, 31
- \* **lfmm**
  - lfmm, 24
  - lfmm.pvalues, 28
  - z.scores, 62
- \* **offset\_example**
  - offset\_example, 35
- \* **package**
  - LEA-package, 3
- \* **pca**
  - pca, 35
  - tracy.widom, 54
- \* **read/write**
  - read.env, 42
  - read.genotype, 43
  - read.lfmm, 44
  - read.zscore, 45
- write.env, 59
- write.genotype, 60
- write.lfmm, 61
- \* **snmf**
  - create.dataset, 9
  - cross.entropy, 10
  - G, 14
  - impute, 22
  - Q, 41
  - snmf, 46
  - snmf.pvalues, 51
- \* **tutorial**
  - lfmm, 24
  - lfmm2, 29
  - pca, 35
  - snmf, 46
  - tutorial, 56
- \$,pcaProject-method (pca), 35
- adjusted.pvalues,lfmmProject-method (lfmm), 24
- ancestrymap, 4, 5, 6, 35, 39, 57
- ancestrymap2geno, 4, 5, 6, 21, 22, 34, 39, 41, 44, 57, 59, 61
- ancestrymap2lfmm, 4, 5, 6, 22, 27, 34, 39, 41, 45, 57, 59, 62
- barchart, 7, 48
- barchart,snmfProject-method (snmf), 46
- barplot.default, 7
- combine.lfmmProject (lfmm), 24
- combine.lfmmProject,character,character-method (lfmm), 24
- combine.snmfProject (snmf), 46
- combine.snmfProject,character,character-method (snmf), 46
- create.dataset, 9, 9, 11, 12, 47
- cross.entropy, 9, 10, 14, 42, 47

cross.entropy, snmfProject-method  
     (snmf), 46  
 cross.entropy.estimation, 11, 47  
  
 eigenvalues (pca), 35  
 eigenvalues, pcaProject-method (pca), 35  
 eigenvectors (pca), 35  
 eigenvectors, pcaProject-method (pca), 35  
 env, 13, 15, 18, 24, 30, 32, 42, 43, 59, 60, 64  
 example\_ancestrymap (ancestrymap), 4  
 example\_geno (geno), 20  
 example\_lfmm (lfmm.data), 27  
 example\_ped (ped), 38  
 example\_vcf (vcf), 56  
 export.lfmmProject (lfmm), 24  
 export.lfmmProject, character-method  
     (lfmm), 24  
 export.pcaProject (pca), 35  
 export.pcaProject, character-method  
     (pca), 35  
 export.snmfProject (snmf), 46  
 export.snmfProject, character-method  
     (snmf), 46  
  
 G, 10, 14, 42  
 G, snmfProject-method (snmf), 46  
 genetic.gap, 15, 18  
 genetic.offset, 18  
 geno, 4, 5, 9, 10, 12, 14, 20, 21, 22, 33–35, 39,  
     42–44, 46, 48, 53, 57, 60, 61  
 geno2lfmm, 5, 6, 21, 21, 27, 34, 39, 41, 44, 45,  
     57, 61, 62  
  
 import.lfmmProject (lfmm), 24  
 import.lfmmProject, character-method  
     (lfmm), 24  
 import.pcaProject (pca), 35  
 import.pcaProject, character-method  
     (pca), 35  
 import.snmfProject (snmf), 46  
 import.snmfProject, character-method  
     (snmf), 46  
 impute, 15, 18, 22, 24, 25, 27, 30, 32  
 impute, snmfProject-method (snmf), 46  
  
 LEA-package, 3  
 lfmm, 4, 6, 13, 15, 18, 20–24, 24, 26–30,  
     32–36, 38, 40, 43–45, 48, 53, 55–58,  
     60–64  
  
 lfmm.data, 4, 6, 16, 19, 22, 26, 27, 28, 30, 33,  
     34, 36, 39, 41, 45, 53, 55, 59, 62–64  
 lfmm.pvalues, 24, 26, 28  
 lfmm2, 13, 16, 19, 22–24, 27, 29, 29, 33, 36  
 lfmm2.test, 29, 30, 31  
 lfmm2geno, 5, 6, 21, 22, 27, 33, 39, 41, 44, 45,  
     57, 61, 62  
 lfmmClass-method (z.scores), 62  
 load.lfmmProject (lfmm), 24  
 load.lfmmProject, character-method  
     (lfmm), 24  
 load.pcaProject (pca), 35  
 load.pcaProject, character-method (pca),  
     35  
 load.snmfProject (snmf), 46  
 load.snmfProject, character-method  
     (snmf), 46  
  
 mlog10p.values, lfmmProject-method  
     (lfmm), 24  
  
 offset\_example, 35  
  
 p.values, lfmmProject-method (lfmm), 24  
 pca, 4, 20, 26, 27, 30, 35, 38, 48, 54–56  
 ped, 4, 35, 38, 39–41, 57  
 ped2geno, 5, 6, 21, 22, 34, 39, 39, 41, 44, 57,  
     59, 61  
 ped2lfmm, 5, 6, 22, 27, 34, 39, 40, 45, 57, 59,  
     62  
 plot.lfmmProject-method (lfmm), 24  
 plot.pcaProject-method (pca), 35  
 plot.snmfProject-method (snmf), 46  
 projections (pca), 35  
 projections, pcaProject-method (pca), 35  
  
 Q, 10, 14, 41, 48  
 Q, snmfProject-method (snmf), 46  
  
 read.env, 13, 42, 60  
 read.geno, 5, 21, 22, 43, 61  
 read.lfmm, 27, 44, 62  
 read.zscore, 45  
 remove.lfmmProject (lfmm), 24  
 remove.lfmmProject, character-method  
     (lfmm), 24  
 remove.pcaProject (pca), 35  
 remove.pcaProject, character-method  
     (pca), 35

remove.snmfProject (snmf), 46  
remove.snmfProject, character-method (snmf), 46  
  
sdev (pca), 35  
sdev, pcaProject-method (pca), 35  
show, lfmmClass-method (lfmm), 24  
show, lfmmProject-method (lfmm), 24  
show, pcaProject-method (pca), 35  
show, snmfClass-method (snmf), 46  
show, snmfProject-method (snmf), 46  
snmf, 4, 7–12, 14, 20, 23, 27, 36, 38, 41, 42, 44, 46, 46, 52, 53, 56, 61  
snmf.pvalues, 51  
struct2geno, 53  
summary, lfmmProject-method (lfmm), 24  
summary, pcaProject-method (pca), 35  
summary, snmfProject-method (snmf), 46  
  
tracy.widom, 54  
tracy.widom, pcaProject-method (pca), 35  
tutorial, 26, 30, 36, 48, 56  
  
vcf, 4, 35, 39, 56, 57–59  
vcf2geno, 5, 6, 21, 22, 34, 39, 41, 44, 57, 57, 59, 61  
vcf2lfmm, 57, 58  
  
write.env, 13, 43, 59  
write.geno, 21, 22, 44, 60  
write.lfmm, 27, 45, 61  
  
z.scores, 26, 45, 62  
z.scores, lfmmProject-method (lfmm), 24  
zscore.format, 45, 64